

GNF Publications

508. Groff D, Thielges MC, Cellitti S, Schultz PG, Romesberg FE. Efforts Toward the Direct Experimental Characterization of Enzyme Microenvironments: Tyrosine100 in Dihydrofolate Reductase. *Angew Chem Int Ed Engl*. 2009 Apr 3. [Epub ahead of print] PubMed PMID: 19347910.
507. Miller AT, Beisner DR, Liu D, Cooke MP. Inositol 1,4,5-trisphosphate 3-kinase B is a negative regulator of BCR signaling that controls B cell selection and tolerance induction. *J Immunol*. 2009 Apr 15;182(8):4696-704. PubMed PMID:19342645.
506. Irelan JT, Gutierrez Del Arroyo A, Gutierrez A, Peters G, Quon KC, Miraglia L, Chanda SK. A functional screen for regulators of CKDN2A reveals MEOX2 as a transcriptional activator of INK4a. *PLoS ONE*. 2009;4(4):e5067. Epub 2009 Apr 2. PubMed PMID: 19340300; PubMed Central PMCID: PMC2659797.
505. Engels IH, Daguia C, Huynh T, Urbina H, Buddenkotte J, Schumacher A, Caldwell JS, Brinker A. A time-resolved fluorescence resonance energy transfer-based assay for DEN1 peptidase activity. *Anal Biochem*. 2009 Mar 27. [Epub ahead of print] PubMed PMID: 19328766.
504. Yin H, Chu A, Li W, Wang B, Shelton F, Otero F, Nguyen DG, Caldwell JS, Chen YA. Lipid G-protein-coupled Receptor Ligand Identification Using beta - arrestin Pathhunter Assay. *J Biol Chem*. 2009 Mar 13. [Epub ahead of print] PubMed PMID:19286662.
503. McCarthy JJ, Somji A, Weiss LA, Steffy B, Vega R, Barrett-Connor E, Talavera G, Glynne R. Polymorphisms of the Scavenger Receptor class B member 1 are associated with insulin resistance with evidence of gene by sex interaction. *J Clin Endocrinol Metab*. 2009 Mar 10. [Epub ahead of print] PubMed PMID: 19276229.
502. Young TS, Ahmad I, Brock A, Schultz PG. Expanding the Genetic Repertoire of the Methylophilic Yeast *Pichia pastoris* (dagger). *Biochemistry*. 2009 Mar 31;48(12):2643-2653. PubMed PMID: 19265424.
501. Grünwald J, Hunt GS, Dong L, Niessen F, Wen BG, Tsao ML, Perera R, Kang M, Laffitte BA, Azarian S, Ruf W, Nasoff M, Lerner RA, Schultz PG, Smider VV. Mechanistic studies of the immunochemical termination of self-tolerance with unnatural amino acids. *Proc Natl Acad Sci U S A*. 2009 Mar 17;106(11):4337-42. Epub 2009 Feb 25. PubMed PMID: 19246393; PubMed Central PMCID: PMC2657443.

500. Peters FB, Brock A, Wang J, Schultz PG. Photocleavage of the polypeptide backbone by 2-nitrophenylalanine. *Chem Biol.* 2009 Feb 27;16(2):148-52. PubMed PMID: 19246005.
499. Wikoff WR, Anfora AT, Liu J, Schultz PG, Lesley SA, Peters EC, Siuzdak G. Metabolomics analysis reveals large effects of gut microflora on mammalian blood metabolites. *Proc Natl Acad Sci U S A.* 2009 Mar 10;106(10):3698-703. Epub 2009 Feb 20. PubMed PMID: 19234110; PubMed Central PMCID: PMC2656143.
498. Dharia NV, Sidhu AB, Cassera MB, Westenberger SJ, Bopp SE, Eastman RT, Plouffe D, Batalov S, Park DJ, Volkman SK, Wirth DF, Zhou Y, Fidock DA, Winzeler EA. Use of high-density tiling microarrays to identify mutations globally and elucidate mechanisms of drug resistance in *Plasmodium falciparum*. *Genome Biol.* 2009 Feb 13;10(2):R21. [Epub ahead of print] PubMed PMID: 19216790.
497. Hu H, Bandell M, Petrus MJ, Zhu MX, Patapoutian A. Zinc activates damage-sensing TRPA1 ion channels. *Nat Chem Biol.* 2009 Mar;5(3):183-90. Epub 2009 Feb 8. PubMed PMID: 19202543.
496. Lee HS, Spraggon G, Schultz PG, Wang F. Genetic incorporation of a metal-ion chelating amino acid into proteins as a biophysical probe. *J Am Chem Soc.* 2009 Feb 25;131(7):2481-3. PubMed PMID: 19193005.
495. Wang W, Walker JR, Wang X, Tremblay MS, Lee JW, Wu X, Schultz PG. Identification of small-molecule inducers of pancreatic beta-cell expansion. *Proc Natl Acad Sci U S A.* 2009 Feb 3;106(5):1427-32. Epub 2009 Jan 22. PubMed PMID:19164755; PubMed Central PMCID: PMC2635822.
494. Hu H, Grandl J, Bandell M, Petrus M, Patapoutian A. Two amino acid residues determine 2-APB sensitivity of the ion channels TRPV3 and TRPV4. *Proc Natl Acad Sci U S A.* 2009 Feb 3;106(5):1626-31. Epub 2009 Jan 21. PubMed PMID: 19164517; PubMed Central PMCID: PMC2635798.
493. Grandl J, Hu H, Bandell M, Bursulaya B, Schmidt M, Petrus M, Patapoutian A. Pore region of TRPV3 ion channel is specifically required for heat activation. *Nat Neurosci.* 2008 Sep;11(9):1007-13. PubMed PMID: 19160498.
492. Barouch-Bentov R, Che J, Lee CC, Yang Y, Herman A, Jia Y, Velentza A, Watson J, Sternberg L, Kim S, Ziaee N, Miller A, Jackson C, Fujimoto M, Young M, Batalov S, Liu Y, Warmuth M, Wiltshire T, Cooke MP, Sauer K. A conserved salt bridge in the G loop of multiple protein kinases is important for catalysis and for in vivo Lyn function. *Mol Cell.* 2009 Jan 16;33(1):43-52. PubMed PMID: 19150426.
491. Klock HE, Lesley SA. The Polymerase Incomplete Primer Extension (PIPE) method applied to high-throughput cloning and site-directed mutagenesis. *Methods Mol Biol.* 2009;498:91-103. PubMed PMID: 18988020.

490. Dhaka A, Uzzell V, Dubin AE, Mathur J, Petrus M, Bandell M, Patapoutian A. TRPV1 is activated by both acidic and basic pH. *J Neurosci*. 2009 Jan 7;29(1):153-8. PubMed PMID: 19129393.
489. Patapoutian A, Tate S, Woolf CJ. Transient receptor potential channels: targeting pain at the source. *Nat Rev Drug Discov*. 2009 Jan;8(1):55-68. Review. PubMed PMID: 19116627.
488. Dubrovskaja A, Kim S, Salamone RJ, Walker JR, Maira SM, Garcia-Echeverria C, Schultz PG, Reddy VA. The role of PTEN/Akt/PI3K signaling in the maintenance and viability of prostate cancer stem-like cell populations. *Proc Natl Acad Sci U S A*. 2009 Jan 6;106(1):268-73. Epub 2008 Dec 30. PubMed PMID: 19116269; PubMed Central PMCID: PMC2629188.
487. Liu CC, Mack AV, Tsao ML, Mills JH, Lee HS, Choe H, Farzan M, Schultz PG, Smider VV. Protein evolution with an expanded genetic code. *Proc Natl Acad Sci U S A*. 2008 Nov 18;105(46):17688-93. Epub 2008 Nov 11. PubMed PMID: 19004806; PubMed Central PMCID: PMC2584696.
486. Zhou V, Gao X, Han S, Brinker A, Caldwell JS, Gu XJ. An intracellular conformational sensor assay for Abl T315I. *Anal Biochem*. 2009 Feb 15;385(2):300-8. Epub 2008 Nov 20. PubMed PMID: 19059193.
485. König R, Zhou Y, Elleder D, Diamond TL, Bonamy GM, Irelan JT, Chiang CY, Tu BP, De Jesus PD, Lilley CE, Seidel S, Opaluch AM, Caldwell JS, Weitzman MD, Kuhlen KL, Bandyopadhyay S, Ideker T, Orth AP, Miraglia LJ, Bushman FD, Young JA, Chanda SK. Global analysis of host-pathogen interactions that regulate early-stage HIV-1 replication. *Cell*. 2008 Oct 3;135(1):49-60. PubMed PMID: 18854154; PubMed Central PMCID: PMC2628946.
484. Baile JS, Grabowski-Boas L, Steff BM, Wiltshire T, Churchil GA, Tarantino LM. Identification of quantitative trait loci for locomotor activation and anxiety using closely related inbred strains. *Genes Brain Behav*. 2008 Oct;7(7):761-9. PubMed PMID: 19130624.
483. Hirota T, Lewis WG, Liu AC, Lee JW, Schultz PG, Kay SA. A chemical biology approach reveals period shortening of the mammalian circadian clock by specific inhibition of GSK-3beta. *Proc Natl Acad Sci U S A*. 2008 Dec 30;105(52):20746-51. Epub 2008 Dec 22. PubMed PMID: 19104043; PubMed Central PMCID: PMC2606900.
482. Liu R, Freund Y, Spraggon G. Image-based crystal detection: a machine-learning approach. *Acta Crystallogr D Biol Crystallogr*. 2008 Dec;64(Pt 12):1187-95. Epub 2008 Nov 18. PubMed PMID: 19018095; PubMed Central PMCID: PMC2585161.
481. Huss JW 3rd, Orozco C, Goodale J, Wu C, Batalov S, Vickers TJ, Valafar F, Su AI. A gene wiki for community annotation of gene function. *PLoS Biol*. 2008 Jul 8;6(7):e175. PubMed PMID: 18613750; PubMed Central PMCID: PMC2443188.

480. Brustad E, Bushey ML, Brock A, Chittuluru J, Schultz PG. A promiscuous aminoacyl-tRNA synthetase that incorporates cysteine, methionine, and alanine homologs into proteins. *Bioorg Med Chem Lett*. 2008 Nov 15;18(22):6004-6. Epub 2008 Sep 17. PubMed PMID: 18845434.
479. Winzeler EA. Malaria research in the post-genomic era. *Nature*. 2008 Oct 9;455(7214):751-6. Review. PubMed PMID: 18843360.
478. Xiao B, Dubin AE, Bursulaya B, Viswanath V, Jegla TJ, Patapoutian A. Identification of transmembrane domain 5 as a critical molecular determinant of menthol sensitivity in mammalian TRPA1 channels. *J Neurosci*. 2008 Sep 24;28(39):9640-51. PubMed PMID: 18815250.
477. Zhang G, Ren P, Gray NS, Sim T, Liu Y, Wang X, Che J, Tian SS, Sandberg ML, Spalding TA, Romeo R, Iskandar M, Chow D, Martin Seidel H, Karanewsky DS, He Y. Discovery of pyrimidine benzimidazoles as Lck inhibitors: part I. *Bioorg Med Chem Lett*. 2008 Oct 15;18(20):5618-21. Epub 2008 Aug 31. PubMed PMID: 18793846.
476. Le Roch KG, Johnson JR, Ahiboh H, Chung DW, Prudhomme J, Plouffe D, Henson K, Zhou Y, Witola W, Yates JR, Mamoun CB, Winzeler EA, Vial H. A systematic approach to understand the mechanism of action of the bisthiazolium compound T4 on the human malaria parasite, *Plasmodium falciparum*. *BMC Genomics*. 2008 Oct 30;9:513. PubMed PMID: 18973684; PubMed Central PMCID: PMC2596145.
475. Marsilje TH, Alper PB, Lu W, Mutnick D, Michellys PY, He Y, Karanewsky DS, Chow D, Gerken A, Lao J, Kim MJ, Seidel HM, Tian SS. Optimization of small molecule agonists of the thrombopoietin (Tpo) receptor derived from a benzo[a]carbazole hit scaffold. *Bioorg Med Chem Lett*. 2008 Oct 1;18(19):5259-62. Epub 2008 Aug 26. PubMed PMID: 18783949.
474. Alper PB, Marsilje TH, Mutnick D, Lu W, Chatterjee A, Roberts MJ, He Y, Karanewsky DS, Chow D, Lao J, Gerken A, Tuntland T, Liu B, Chang J, Gordon P, Seidel HM, Tian SS. Discovery and biological evaluation of benzo[a]carbazole-based small molecule agonists of the thrombopoietin (Tpo) receptor. *Bioorg Med Chem Lett*. 2008 Oct 1;18(19):5255-8. Epub 2008 Aug 22. PubMed PMID: 18778936.
473. Tully DC, Vidal A, Chatterjee AK, Williams JA, Roberts MJ, Petrassi HM, Spraggon G, Bursulaya B, Pacoma R, Shipway A, Schumacher AM, Danahay H, Harris JL. Discovery of inhibitors of the channel-activating protease prostaticin (CAP1/PRSS8) utilizing structure-based design. *Bioorg Med Chem Lett*. 2008 Nov 15;18(22):5895-9. Epub 2008 Aug 14. PubMed PMID: 18752942.
472. Grünwald J, Tsao ML, Perera R, Dong L, Niessen F, Wen BG, Kubitz DM, Smider VV, Ruf W, Nasoff M, Lerner RA, Schultz PG. Immunochemical termination of self-tolerance. *Proc Natl Acad Sci U S A*. 2008 Aug 12;105(32):11276-80. Epub 2008 Aug 6. PubMed PMID: 18685087; PubMed Central PMCID: PMC2516224.

471. Bailey JS, Grabowski-Boase L, Steffy BM, Wiltshire T, Churchill GA, Tarantino LM. Identification of QTL for locomotor activation and anxiety using closely-related inbred strains. *Genes Brain Behav.* 2008 Jun 30. [Epub ahead of print] PubMed PMID: 18616613.
470. Liu Y, Ding Q, Wu X. Rearrangement of N,N-di-tert-butoxycarbonylpyridin-4-amines and formation of polyfunctional pyridines. *J Org Chem.* 2008 Aug 1;73(15):6025-8. Epub 2008 Jul 9. PubMed PMID:18610981.
469. Plouffe D, Brinker A, McNamara C, Henson K, Kato N, Kuhen K, Nagle A, Adrián F, Matzen JT, Anderson P, Nam TG, Gray NS, Chatterjee A, Janes J, Yan SF, Trager R, Caldwell JS, Schultz PG, Zhou Y, Winzeler EA. In silico activity profiling reveals the mechanism of action of antimalarials discovered in a high-throughput screen. *Proc Natl Acad Sci U S A.* 2008 Jul 1;105(26):9059-64. Epub 2008 Jun 25. PubMed PMID: 18579783; PubMed Central PMCID: PMC2440361.
468. Cellitti SE, Jones DH, Lagpacan L, Hao X, Zhang Q, Hu H, Brittain SM, Brinker A, Caldwell J, Bursulaya B, Spraggon G, Brock A, Ryu Y, Uno T, Schultz PG, Geierstanger BH. In vivo incorporation of unnatural amino acids to probe structure, dynamics, and ligand binding in a large protein by nuclear magnetic resonance spectroscopy. *J Am Chem Soc.* 2008 Jul 23;130(29):9268-81. Epub 2008 Jun 25. PubMed PMID: 18576636; PubMed Central PMCID: PMC2562865.
467. Wu C, Delano DL, Mitro N, Su SV, Janes J, McClurg P, Batalov S, Welch GL, Zhang J, Orth AP, Walker JR, Glynn RJ, Cooke MP, Takahashi JS, Shimomura K, Kohsaka A, Bass J, Saez E, Wiltshire T, Su AI. Gene set enrichment in eQTL data identifies novel annotations and pathway regulators. *PLoS Genet.* 2008 May 9;4(5):e1000070. PubMed PMID: 18464898; PubMed Central PMCID: PMC2346558.
466. Kato N, Sakata T, Breton G, Le Roch KG, Nagle A, Andersen C, Bursulaya B, Henson K, Johnson J, Kumar KA, Marr F, Mason D, McNamara C, Plouffe D, Ramachandran V, Spooner M, Tuntland T, Zhou Y, Peters EC, Chatterjee A, Schultz PG, Ward GE, Gray N, Harper J, Winzeler EA. Gene expression signatures and small-molecule compounds link a protein kinase to *Plasmodium falciparum* motility. *Nat Chem Biol.* 2008 Jun;4(6):347-56. Epub 2008 May 4. PubMed PMID: 18454143.
465. McCleverty CJ, Columbus L, Kreuzsch A, Lesley SA. Structure and ligand binding of the soluble domain of a *Thermotoga maritima* membrane protein of unknown function TM1634. *Protein Sci.* 2008 May;17(5):869-77. Epub 2008 Mar 27. PubMed PMID: 18369189; PubMed Central PMCID: PMC2327271.
464. Kozbial P, Xu Q, Chiu HJ, McMullan D, Krishna SS, Miller MD, Abdubek P, Acosta C, Astakhova T, Axelrod HL, et al. Crystal structures of MW1337R and lin2004: representatives of a novel protein family that adopt a four-helical bundle fold. *Proteins* 2008;71(3):1589-96.

463. Xu Q, Kozbial P, McMullan D, Krishna SS, Brittain SM, Ficarro SB, DiDonato M, Miller MD, Abdubek P, Axelrod HL, et al. Crystal structure of an ADP-ribosylated protein with a cytidine deaminase-like fold, but unknown function (TM1506), from *Thermotoga maritima* at 2.70 Å resolution. *Proteins* 2008;71(3):1546-52.
462. Axelrod HL, McMullan D, Krishna SS, Miller MD, Elsliger MA, Abdubek P, Ambing E, Astakhova T, Carlton D, Chiu HJ, et al. Crystal structure of AICAR transformylase IMP cyclohydrolase (TM1249) from *Thermotoga maritima* at 1.88 Å resolution. *Proteins* 2008;71(2):1042-9.
461. Klock HE, Koesema EJ, Knuth MW, Lesley SA. Combining the polymerase incomplete primer extension method for cloning and mutagenesis with microscreening to accelerate structural genomics efforts. *Proteins* 2008;71(2):982-94.
460. Liu B, Chang J, Gordon WP, Isbell J, Zhou Y, Tuntland T. Snapshot PK: a rapid rodent in vivo preclinical screening approach. *Drug Discov Today* 2008;13(7-8):360-7.
459. Pfaff DA, Clarke KM, Parr TA, Cole JM, Geierstanger BH, Tahmassebi DC, Dwyer TJ. Solution structure of a DNA duplex containing a guaninedifluorotoluene pair: a wobble pair without hydrogen bonding? *J Am Chem Soc* 2008;130(14):4869-78.
458. Huang S, Liu Z, Tian SS, Sandberg M, Spalding TA, Romeo R, Iskandar M, Wang Z, Karanewsky D, He Y. Discovery of 2-amino-6- carboxamidobenzothiazoles as potent Lck inhibitors. *Bioorg Med Chem Lett* 2008;18(7):2324-8.
457. Huang YH, Hoebe K, Sauer K. New therapeutic targets in immune disorders: ItpkB, Orai1 and UNC93B. *Expert Opin Ther Targets* 2008;12(4):391-413.
456. Che J, Dzubiella J, Li B, McCammon JA. Electrostatic free energy and its variations in implicit solvent models. *J Phys Chem B* 2008;112(10):3058-69.
455. Yang KY, He XH, Choi HS, Wang ZC, Woodmansee DH, Liu H. Highly efficient synthesis of fused bicyclic 2,3-diaryl-pyrimidin-4(3H)-ones via Lewis acid assisted cyclization reaction. *Tetrahedron Lett* 2008;49(11):1725-1728.
454. Isbell J. Changing requirements of purification as drug discovery programs evolve from hit discovery. *J Comb Chem* 2008;10(2):150-7.
453. Lee J, Hong J, Nam TG, Peters EC, Orth AP, Geierstanger BH, Goldfinger LE, Ginsberg MH, Cho CY, Schultz PG. A small molecule inhibitor of alpha4 integrin-dependent cell migration. *Bioorg Med Chem*. 2009 Feb 1;17(3):977-80. Epub 2008 Feb 26. PubMed PMID: 18329275.
452. Rines DR, Gomez-Ferreria MA, Zhou Y, DeJesus P, Grob S, Batalov S, Labow M, Huesken D, Mickanin C, Hall J, et al. Whole genome functional analysis identifies novel components required for mitotic spindle integrity in human cells. *Genome Biol* 2008;9(2):R44.

451. Zhou Y, Ramachandran V, Kumar KA, Westenberger S, Refour P, Zhou B, Li F, Young JA, Chen K, Plouffe D, et al. Evidence-based annotation of the malaria parasite's genome using comparative expression profiling. *PLoS ONE* 2008;3(2):e1570.
450. Li J, Petrassi HM, Tumanut C, Masick BT, Trussell C, Harris JL. Substrate optimization for monitoring cathepsin C activity in live cells. *Bioorg Med Chem*. 2009 Feb 1;17(3):1064-70. Epub 2008 Feb 7.
449. Mathews, II, McMullan D, Miller MD, Canaves JM, Elsliger MA, Floyd R, Grzechnik SK, Jaroszewski L, Klock HE, Koesema E, et al. Crystal structure of 2-keto-3-deoxygluconate kinase (TM0067) from *Thermotoga maritima* at 2.05 Å resolution. *Proteins* 2008;70(2):603-8.
448. Dhaka A, Earley TJ, Watson J, Patapoutian A. Visualizing cold spots: TRPM8-expressing sensory neurons and their projections. *J Neurosci* 2008;28(3):566-75.
447. Graziano JJ, Liu W, Perera R, Geierstanger BH, Lesley SA, Schultz PG. Selecting folded proteins from a library of secondary structural elements. *J Am Chem Soc* 2008;130(1):176-85.
446. Supekova L, Supek F, Lee J, Chen S, Gray N, Pezacki JP, Schlapbach A, Schultz PG. Identification of human kinases involved in hepatitis C virus replication by small interference RNA library screening. *J Biol Chem* 2008;283(1):29-36.
445. Young JA, Johnson JR, Benner C, Yan SF, Chen K, Le Roch KG, Zhou Y, Winzeler EA. In silico discovery of transcription regulatory elements in *Plasmodium falciparum*. *BMC Genomics* 2008;9:70.
444. Amelio AL, Miraglia LJ, Conkright JJ, Mercer BA, Batalov S, Cavett V, Orth AP, Busby J, Hogenesch JB, Conkright MD. A coactivator trap identifies NONO (p54nrp) as a component of the cAMP-signaling pathway. *Proc Natl Acad Sci U S A* 2007;104(51):20314-9.
443. Petrus M, Peier AM, Bandell M, Hwang SW, Huynh T, Olney N, Jegla T, Patapoutian A. A role of TRPA1 in mechanical hyperalgesia is revealed by pharmacological inhibition. *Mol Pain* 2007;3(1):40
442. Daily JP, Scandfeld D, Pochet N, Le Roch K, Plouffe D, Kamal M, Sarr O, Mboup S, Ndir O, Wypij D, Levasseur K, Thomas E, Tamayo P, Dong C, Zhou Y, Lander ES, Ndiaye D, Wirth D, Winzeler EA, Mesirov JP, Regev A. Distinct physiological states of *Plasmodium falciparum* in malaria-infected patients. *Nature*. 2007 Dec 13;450(7172):1091-5. Epub 2007 Nov 28. PubMed PMID: 18046333.
441. Commerford SR, Vargas L, Dorfman SE, Mitro N, Rocheford EC, Mak PA, Li X, Kennedy P, Mullarkey TL, Saez E. Dissection of the insulin-sensitizing effect of liver X receptor ligands. *Mol Endocrinol* 2007;21(12):3002-12.

440. Lemke EA, Summerer D, Geierstanger BH, Brittain SM, Schultz PG. Control of protein phosphorylation with a genetically encoded photocaged amino acid. *Nat Chem Biol* 2007;3(12):769-72.
439. Sakata T, Winzeler EA. Genomics, systems biology and drug development for infectious diseases. *Mol Biosyst* 2007;3(12):841-8.
438. Gomez-Ferreria MA, Rath U, Buster DW, Chanda SK, Caldwell JS, Rines DR, Sharp DJ. Human cep192 is required for mitotic centrosome and spindle assembly. *Curr Biol* 2007;17(22):1960-6.
437. McCleverty CJ, Hornsby M, Spraggon G, Kreuzsch A. Crystal structure of human Pus10, a novel pseudouridine synthase. *J Mol Biol* 2007;373(5):1243-54.
436. Lee J, Wu X, Pasca di Magliano M, Peters EC, Wang Y, Hong J, Hebrok M, Ding S, Cho CY, Schultz PG. A small-molecule antagonist of the hedgehog signaling pathway. *Chembiochem* 2007;8(16):1916-9.
435. Singh AP, Buscaglia CA, Wang Q, Levay A, Nussenzweig DR, Walker JR, Winzeler EA, Fujii H, Fontoura BM, Nussenzweig V. Plasmodium circum sporozoite protein promotes the development of the liver stages of the parasite. *Cell* 2007;131(3):492-504.
434. Jansma A, Zhang Q, Li B, Ding Q, Uno T, Bursulaya B, Liu Y, Furet P, Gray NS, Geierstanger BH. Verification of a designed intramolecular hydrogen bond in a drug scaffold by nuclear magnetic resonance spectroscopy. *J Med Chem* 2007;50(24):5875-5877.
433. Slabinski L, Jaroszewski L, Rodrigues AP, Rychlewski L, Wilson IA, Lesley SA, Godzik A. The challenge of protein structure determination--lessons from structural genomics. *Protein Sci* 2007;16(11):2472-82.
432. Xu Q, Saikatendu KS, Krishna SS, McMullan D, Abdubek P, Agarwalla S, Ambing E, Astakhova T, Axelrod HL, Carlton D, et al. Crystal structure of MtnX phosphatase from *Bacillus subtilis* at 2.0 Å resolution provides a structural basis for bipartite phosphomonoester hydrolysis of 2-hydroxy-3-keto-5-methylthiopentenyl-1-phosphate. *Proteins* 2007;69(2):433-9.
431. Krishna SS, Tautz L, Xu Q, McMullan D, Miller MD, Abdubek P, Ambing E, Astakhova T, Axelrod HL, Carlton D, et al. Crystal structure of NMA1982 from *Neisseria meningitidis* at 1.5 Å resolution provides a structural scaffold for nonclassical, eukaryotic-like phosphatases. *Proteins* 2007;69(2):415-21.
430. Zubieta C, Krishna SS, Kapoor M, Kozbial P, McMullan D, Axelrod HL, Miller MD, Abdubek P, Ambing E, Astakhova T, et al. Crystal structures of two novel dye-decolorizing peroxidases reveal a beta-barrel fold with a conserved heme-binding motif. *Proteins* 2007;69(2):223-33.

429. Borgono CA, Gavigan JA, Alves J, Bowles B, Harris JL, Sotiropoulou G, Diamandis EP. Defining the extended substrate specificity of kallikrein 1- related peptidases. *Biol Chem* 2007;388(11):1215-25.
428. Zubieta C, Joseph R, Krishna SS, McMullan D, Kapoor M, Axelrod HL, Miller MD, Abdubek P, Acosta C, Astakhova T, et al. Identification and structural characterization of heme binding in a novel dye-decolorizing peroxidase, TyrA. *Proteins* 2007;69(2):234-43.
427. Irelan JT, Murphy TJ, DeJesus PD, Teo H, Xu D, Gomez-Ferreria MA, Zhou Y, Miraglia LJ, Rines DR, Verma IM, et al. A role for IkappaB kinase 2 in bipolar spindle assembly. *Proc Natl Acad Sci U S A* 2007;104(43):16940-5.
426. Peters EC, Gray NS. Chemical proteomics identifies unanticipated targets of clinical kinase inhibitors. *ACS Chem Biol* 2007;2(10):661-4.
425. Macpherson LJ, Xiao B, Kwan KY, Petrus MJ, Dubin AE, Hwang S, Cravatt B, Corey DP, Patapoutian A. An ion channel essential for sensing chemical damage. *J Neurosci* 2007;27(42):11412-5.
424. Konig R, Chiang CY, Tu BP, Yan SF, DeJesus PD, Romero A, Bergauer T, Orth A, Krueger U, Zhou Y, et al. A probability-based approach for the analysis of large-scale RNAi screens. *Nat Methods* 2007;4(10):847-9.
423. Dierks C, Grbic J, Zirlik K, Beigi R, Englund NP, Guo GR, Veelken H, Engelhardt M, Mertelsmann R, Kelleher JF, et al. Essential role of stromally induced hedgehog signaling in B-cell malignancies. *Nat Med* 2007;13(8):944-951.
422. Chamberlain PP, Qian X, Stiles AR, Cho J, Jones DH, Lesley SA, Grabau EA, Shears SB, Spraggon G. Integration of inositol phosphate signaling pathways via human ITPK1. *J Biol Chem* 2007;282(38):28117-25.
421. Kumar KA, Garcia CR, Chandran VR, Van Rooijen N, Zhou Y, Winzeler E, Nussenzweig V. Exposure of Plasmodium sporozoites to the intracellular concentration of potassium enhances infectivity and reduces cell passage activity. *Mol Biochem Parasitol.* 2007. 156:32-40.
420. Lyssiotis CA, Walker J, Wu C, Kondo T, Schultz PG, Wu X. Inhibition of histone deacetylase activity induces developmental plasticity in oligodendrocyte precursor cells. *Proc Natl Acad Sci U S A* 2007;104(38):14982-7.
419. Hampton EN, Knuth MW, Li J, Harris JL, Lesley SA, Spraggon G. The selfinhibited structure of full-length PCSK9 at 1.9 A reveals structural homology with resistin within the C-terminal domain. *Proc Natl Acad Sci U S A* 2007;104(37):14604-9.
418. Zubieta C, Krishna SS, McMullan D, Miller MD, Abdubek P, Agarwalla S, Ambing E, Astakhova T, Axelrod HL, Carlton D, et al. Crystal structure of homoserine O-

- succinyltransferase from *Bacillus cereus* at 2.4 Å resolution. *Proteins* 2007;68(4):999-1005.
417. Li J, Tumanut C, Gavigan JA, Huang WJ, Hampton EN, Tumanut R, Suen KF, Trauger JW, Spraggon G, Lesley SA, et al. Secreted PCSK9 promotes LDL receptor degradation independently of proteolytic activity. *Biochem J* 2007;406(2):203-7.
416. Huang S, Romanchuk G, Patridge K, Lesley SA, Wilson IA, Matthews RG, Ludwig M. Reactivation of methionine synthase from *Thermotoga maritima* (TM0268) requires the downstream gene product TM0269. *Protein Sci* 2007;16(8):1588-95.
415. Matsuda S, Fillo JD, Henry AA, Rai P, Wilkens SJ, Dwyer TJ, Geierstanger BH, Wemmer DE, Schultz PG, Spraggon G, et al. Efforts toward expansion of the genetic alphabet: structure and replication of unnatural base pairs. *J Am Chem Soc* 2007;129(34):10466-73.
414. Chen S, Schultz PG, Brock A. An improved system for the generation and analysis of mutant proteins containing unnatural amino acids in *Saccharomyces cerevisiae*. *J Mol Biol* 2007;371(1):112-22.
413. Zhou Y, Zhou B, Chen K, Yan SF, King FJ, Jiang S, Winzeler EA. Large-scale annotation of small-molecule libraries using public databases. *J Chem Inf Model* 2007;47(4):1386-94.
412. Chernyshev A, Fleischmann T, Koehn EM, Lesley SA, Kohen A. The relationships between oxidase and synthase activities of flavin dependent thymidylate synthase (FDTs). *Chem Commun (Camb)* 2007(27):2861-3.
411. Premkumar L, Rife CL, Sri Krishna S, McMullan D, Miller MD, Abdubek P, Ambing E, Astakhova T, Axelrod HL, Canaves JM, et al. Crystal structure of TM1030 from *Thermotoga maritima* at 2.3 Å resolution reveals molecular details of its transcription repressor function. *Proteins* 2007;68(1):418-24.
410. Li N, Batt D, Warmuth M. B-Raf kinase inhibitors for cancer treatment. *Curr Opin Investig Drugs* 2007;8(6):452-6.
409. Khidekel N, Ficarro SB, Clark PM, Bryan MC, Swaney DL, Rexach JE, Sun YE, Coon JJ, Peters EC, Hsieh-Wilson LC. Probing the dynamics of O-GlcNAc glycosylation in the brain using quantitative proteomics. *Nat Chem Biol* 2007;3(6):339-48.
408. Chen S, Takanashi S, Zhang Q, Xiong W, Zhu S, Peters EC, Ding S, Schultz PG. Reversine increases the plasticity of lineage-committed mammalian cells. *Proc Natl Acad Sci U S A* 2007;104(25):10482-7.
407. Kindt KS, Viswanath V, Macpherson L, Quast K, Hu H, Patapoutian A, Schafer WR. *Caenorhabditis elegans* TRPA-1 functions in mechanosensation. *Nat Neurosci* 2007;10(5):568-77.

406. McClurg P, Janes J, Wu C, Delano DL, Walker JR, Batalov S, Takahashi JS, Shimomura K, Kohsaka A, Bass J, et al. Genomewide association analysis in diverse inbred mice: power and population structure. *Genetics* 2007;176(1):675-83.
405. Miller AT, Sandberg M, Huang YH, Young M, Sutton S, Sauer K, Cooke MP. Production of Ins(1,3,4,5)P4 mediated by the kinase Itpkb inhibits store-operated calcium channels and regulates B cell selection and activation. *Nat Immunol* 2007;8(5):514-21.
404. Waki H, Park KW, Mitro N, Pei L, Damoiseaux R, Wilpitz DC, Reue K, Saez E, Tontonoz P. The small molecule harmine is an antidiabetic cell-typespecific regulator of PPARgamma expression. *Cell Metab* 2007;5(5):357- 70.
403. Inagaki H, Tsuruoka H, Hornsby M, Lesley SA, Spraggon G, Ellman JA. Characterization and optimization of selective, nonpeptidic inhibitors of cathepsin S with an unprecedented binding mode. *J Med Chem* 2007;50(11):2693-9.
402. Nguyen DG, Yin H, Zhou Y, Wolff KC, Kuhen KL, Caldwell JS. Identification of novel therapeutic targets for HIV infection through functional genomic cDNA screening. *Virology* 2007;362(1):16-25.
401. Chatterjee AK, Liu H, Tully DC, Guo J, Epple R, Russo R, Williams J, Roberts M, Tuntland T, Chang J, et al. Synthesis and SAR of succinamide peptidomimetic inhibitors of cathepsin S. *Bioorg Med Chem Lett* 2007;17(10):2899-903.
400. Kim MJ, Park SH, Opella SJ, Marsilje TH, Michellys PY, Seidel HM, Tian SS. NMR structural studies of interactions of a small, nonpeptidyl Tpo mimic with the thrombopoietin receptor extracellular juxtamembrane and transmembrane domains. *J Biol Chem* 2007;282(19):14253-61.
399. Huang YH, Grasis JA, Miller AT, Xu R, Soonthornvacharin S, Andreotti AH, Tsoukas CD, Cooke MP, Sauer K. Positive regulation of Itk PH domain function by soluble IP4. *Science* 2007;316(5826):886-9.
398. Dhaka A, Murray AN, Mathur J, Earley TJ, Petrus MJ, Patapoutian A. TRPM8 is required for cold sensation in mice. *Neuron* 2007;54(3):371-8.
397. Mitro N, Vargas L, Romeo R, Koder A, Saez E. T0901317 is a potent PXR ligand: implications for the biology ascribed to LXR. *FEBS Lett* 2007;581(9):1721-6.
396. Liu Z, Yan SF, Walker JR, Zwingman TA, Jiang T, Li J, Zhou Y. Study of gene function based on spatial co-expression in a high-resolution mouse brain atlas. *BMC System Biology*. 2007, 1:19.
395. Su AI, Hogenesch JB. Power-law-like distributions in biomedical publications and research funding. *Genome Biol* 2007;8(4):404.

394. Gumireddy K, Sun F, Klein-Szanto AJ, Gibbins JM, Gimotty PA, Saunders AJ, Schultz PG, Huang Q. In vivo selection for metastasis promoting genes in the mouse. *Proc Natl Acad Sci U S A* 2007;104(16):6696-701.
393. Weekes D, Miller MD, Krishna SS, McMullan D, McPhillips TM, Acosta C, Canaves JM, Elsliger MA, Floyd R, Grzechnik SK, et al. Crystal structure of a transcription regulator (TM1602) from *Thermotoga maritima* at 2.3 Å resolution. *Proteins* 2007;67(1):247-52.
392. Go EP, Uritboonthai W, Apon JV, Trauger SA, Nordstrom A, O'Maille G, Brittain SM, Peters EC, Siuzdak G. Selective metabolite and peptide capture/mass detection using fluoruous affinity tags. *J Proteome Res* 2007;6(4):1492-9.
391. Liu W, Brock A, Chen S, Chen S, Schultz PG. Genetic incorporation of unnatural amino acids into proteins in mammalian cells. *Nat Methods* 2007;4(3):239-44.
390. Liu Y, Kern JT, Walker JR, Johnson JA, Schultz PG, Luesch H. A genomic screen for activators of the antioxidant response element. *Proc Natl Acad Sci U S A* 2007;104(12):5205-10.
389. Hong J, Lee J, Min KH, Walker JR, Peters EC, Gray NS, Cho CY, Schultz PG. Identification and characterization of small-molecule inducers of epidermal keratinocyte differentiation. *ACS Chem Biol* 2007;2(3):171-5.
388. Epple R, Urbina HD, Russo R, Liu H, Mason D, Bursulaya B, Tumanut C, Li J, Harris JL. Bicyclic carbamates as inhibitors of papain-like cathepsin proteases. *Bioorg Med Chem Lett* 2007;17(5):1254-9.
387. Hancock MK, Medina MN, Smith BM, Orth AP. Microplate orbital mixing improves high-throughput cell-based reporter assay readouts. *J Biomol Screen* 2007;12(1):140-4.
386. Schwander M, Sczaniecka A, Grillet N, Bailey JS, Avenarius M, Najmabadi H, Steffy BM, Federe GC, Lagler EA, Banan R, et al. A forward genetics screen in mice identifies recessive deafness traits and reveals that pejkakin is essential for outer hair cell function. *J Neurosci* 2007;27(9):2163-75.
385. Macpherson LJ, Dubin AE, Evans MJ, Marr F, Schultz PG, Cravatt BF, Patapoutian A. Noxious compounds activate TRPA1 ion channels through covalent modification of cysteines. *Nature* 2007;445(7127):541-5.
384. Warmuth M, Kim S, Gu XJ, Xia G, Adrian F. Ba/F3 cells and their use in kinase drug discovery. *Curr Opin Oncol* 2007;19(1):55-60.
383. Caldwell JS. Cancer cell-based genomic and small molecule screens. *Adv Cancer Res* 2007;96:145-73.
382. Al-Hajj M. Cancer stem cells and oncology therapeutics. *Curr Opin Oncol* 2007;19(1):61-4.

381. Nayak SK, Jegla T, Panda S. Role of a novel photopigment, melanopsin, in behavioral adaptation to light. *Cell Mol Life Sci* 2007;64(2):144-54.
380. Meinhold-Heerlein I, Bauerschlag D, Zhou Y, Sapinoso LM, Ching K, Frierson H, Jr., Brautigam K, Sehoul J, Stickeler E, Kongsen D, et al. An integrated clinical-genomics approach identifies a candidate multi-analyte blood test for serous ovarian carcinoma. *Clin Cancer Res* 2007;13(2 Pt 1):458-66.
379. Mitro N, Mak PA, Vargas L, Godio C, Hampton E, Molteni V, Kreuzsch A, Saez E. The nuclear receptor LXR is a glucose sensor. *Nature* 2007;445(7124):219-23.
378. Li G, Vega R, Nelms K, Gekakis N, Goodnow C, McNamara P, Wu H, Hong NA, Glynne R. A role for Alstrom syndrome protein, *alms1*, in kidney ciliogenesis and cellular quiescence. *PLoS Genet* 2007;3(1):e8.
377. Galkin AV, Melnick JS, Kim S, Hood TL, Li N, Li L, Xia G, Steensma R, Chopiuk G, Jiang J, et al. Identification of NVP-TAE684, a potent, selective, and efficacious inhibitor of NPM-ALK. *Proc Natl Acad Sci U S A* 2007;104(1):270-5.
376. Gadhachanda VR, Wu B, Wang Z, Kuhen KL, Caldwell J, Zondler H, Walter H, Havenhand M, He Y. 4-Aminopyrimidines as novel HIV-1 inhibitors. *Bioorg Med Chem Lett* 2007;17(1):260-5.
375. Chamberlain PP, Klock HE, McMullan D, Didonato M, Kreuzsch A, Lesley SA, Spraggon G. Advances in high-throughput methodologies for crystallizing proteins. *Biotechnol Genet Eng Rev* 2006;23:1-19.
374. Joyce AR, Reed JL, White A, Edwards R, Osterman A, Baba T, Mori H, Lesely SA, Palsson BO, Agarwalla S. Experimental and computational assessment of conditionally essential genes in *Escherichia coli*. *J Bacteriol* 2006;188(23):8259-71.
373. Mukherji M, Brill LM, Ficarro SB, Hampton GM, Schultz PG. A phosphoproteomic analysis of the ErbB2 receptor tyrosine kinase signaling pathways. *Biochemistry (Mosc)* 2006;45(51):15529-40.
372. Vercaammen D, Belenghi B, van de Cotte B, Beunens T, Gavigan JA, De Rycke R, Brackenier A, Inze D, Harris JL, Van Breusegem F. Serpin1 of *Arabidopsis thaliana* is a suicide Inhibitor for metacaspase 9. *J Mol Biol* 2006;364(4):625-36.
371. Walker JR, Wiltshire T. Databases of free expression. *Mamm Genome* 2006;17(12):1141-6.
370. Yan SF, King FJ, He Y, Caldwell JS, Zhou Y. Learning from the data: mining of large high-throughput screening databases. *J Chem Inf Model* 2006;46(6):2381-95.
369. Pan S, Mi Y, Pally C, Beerli C, Chen A, Guerini D, Hinterding K, Nuesslein-Hildesheim B, Tuntland T, Lefebvre S, et al. A monoselective sphingosine 1-phosphate

- receptor-1 agonist prevents allograft rejection in a stringent rat heart transplantation model. *Chem Biol* 2006;13(11):1227-34.
368. Urbina HD, Debaene F, Jost B, Bole-Feysot C, Mason DE, Kuzmic P, Harris JL, Winssinger N. Self-assembled small-molecule microarrays for protease screening and profiling. *Chembiochem* 2006;7(11):1790-7.
367. Guintu C, Kwok M, Hanlon JJ, Spalding TA, Wolff K, Yin H, Kuhen K, Sasher K, Calvin P, Jiang S, et al. Just in time purification: an effective solution for cherry-picking and purifying active compounds from large legacy libraries. *J Biomol Screen* 2006;11(8):933-9.
366. Kosloff M, Han GW, Krishna SS, Schwarzenbacher R, Fasnacht M, Elsliger MA, Abdubek P, Agarwalla S, Ambing E, Astakhova T, et al. Comparative structural analysis of a novel glutathione S-transferase (ATU5508) from *Agrobacterium tumefaciens* at 2.0 Å resolution. *Proteins* 2006;65(3):527-37.
365. Rines DR, Tu B, Miraglia L, Welch GL, Zhang J, Hull MV, Orth AP, Chanda SK. High-content screening of functional genomic libraries. *Methods Enzymol* 2006;414:530-65.
364. Epple R, Azimioara M, Russo R, Xie Y, Wang X, Cow C, Wityak J, Karanewsky D, Bursulaya B, Kreuzsch A, et al. 3,4,5-Trisubstituted isoxazoles as novel PPAR δ agonists. Part 2. *Bioorg Med Chem Lett* 2006;16(21):5488-92.
363. Yan SF, King FJ, Zhou Y, Warmuth M, Xia G. Profiling the kinome for drug discovery. *Drug Disc Today: Technol* 2006;3(3):269-276.
362. Patterson AW, Wood WJ, Hornsby M, Lesley S, Spraggon G, Ellman JA. Identification of selective, nonpeptidic nitrile inhibitors of cathepsin S using the substrate activity screening method. *J Med Chem* 2006;49(21):6298-307.
361. Tully DC, Liu H, Chatterjee AK, Alper PB, Williams JA, Roberts MJ, Mutnick D, Woodmansee DH, Hollenbeck T, Gordon P, et al. Arylaminoethyl carbamates as a novel series of potent and selective cathepsin S inhibitors. *Bioorg Med Chem Lett* 2006;16(19):5107-11.
360. Schwarzenbacher R, McMullan D, Krishna SS, Xu Q, Miller MD, Canaves JM, Elsliger MA, Floyd R, Grzechnik SK, Jaroszewski L, et al. Crystal structure of a glycerate kinase (TM1585) from *Thermotoga maritima* at 2.70 Å resolution reveals a new fold. *Proteins* 2006;65(1):243-8.
359. Mathews, II, Krishna SS, Schwarzenbacher R, McMullan D, Jaroszewski L, Miller MD, Abdubek P, Agarwalla S, Ambing E, Axelrod HL, et al. Crystal structure of phosphoribosylformyl-glycinamide synthase II, PurS subunit (TM1244) from *Thermotoga maritima* at 1.90 Å resolution. *Proteins* 2006;65(1):249-54.

358. Tsuji T, Ficarro SB, Jiang W. Essential role of phosphorylation of MCM2 by Cdc7/Dbf4 in the initiation of DNA replication in mammalian cells. *Mol Biol Cell* 2006;17(10):4459-72.
357. Tully DC, Liu H, Chatterjee AK, Alper PB, Epple R, Williams JA, Roberts MJ, Woodmansee DH, Masick BT, Tumanut C, et al. Synthesis and SAR of arylaminoethyl amides as noncovalent inhibitors of cathepsin S: P3 cyclic ethers. *Bioorg Med Chem Lett* 2006;16(19):5112-7.
356. McCleverty CJ, Koesema E, Patapoutian A, Lesley SA, Kreusch A. Crystal structure of the human TRPV2 channel ankyrin repeat domain. *Protein Sci* 2006;15(9):2201-6.
355. Mukherji M, Bell R, Supekova L, Wang Y, Orth AP, Batalov S, Miraglia L, Huesken D, Lange J, Martin C, et al. Genome-wide functional analysis of human cell-cycle regulators. *Proc Natl Acad Sci U S A* 2006;103(40):14819- 24.
354. Tully DB, Bao W, Goetz AK, Blystone CR, Ren H, Schmid JE, Strader LF, Wood CR, Best DS, Narotsky MG, et al. Gene expression profiling in liver and testis of rats to characterize the toxicity of triazole fungicides. *Toxicol Appl Pharmacol* 2006;215(3):260-73.
353. Han GW, Sri Krishna S, Schwarzenbacher R, McMullan D, Ginalski K, Elsliger MA, Brittain SM, Abdubek P, Agarwalla S, Ambing E, et al. Crystal structure of the ApbE protein (TM1553) from *Thermotoga maritima* at 1.58 Å resolution. *Proteins* 2006;64(4):1083-90.
352. Xu Q, Krishna SS, McMullan D, Schwarzenbacher R, Miller MD, Abdubek P, Agarwalla S, Ambing E, Astakhova T, Axelrod HL, et al. Crystal structure of an ORFan protein (TM1622) from *Thermotoga maritima* at 1.75 Å resolution reveals a fold similar to the Ran-binding protein Mog1p. *Proteins* 2006;65(3):777-782.
351. DiDonato M, Krishna SS, Schwarzenbacher R, McMullan D, Agarwalla S, Brittain SM, Miller MD, Abdubek P, Ambing E, Axelrod HL, et al. Crystal structure of 2-phosphosulfolactate phosphatase (ComB) from *Clostridium acetobutylicum* at 2.6 Å resolution reveals a new fold with a novel active site. *Proteins* 2006;65(3):771-6.
350. Epple R, Russo R, Azimioara M, Cow C, Xie Y, Wang X, Wityak J, Karanewsky D, Gerken A, Iskandar M, et al. 3,4,5-Trisubstituted isoxazoles as novel PPARdelta agonists: Part 1. *Bioorg Med Chem Lett* 2006;16(16):4376-80.
349. Xu Q, Schwarzenbacher R, Krishna SS, McMullan D, Agarwalla S, Quijano K, Abdubek P, Ambing E, Axelrod H, Biorac T, et al. Crystal structure of acireductone dioxygenase (ARD) from *Mus musculus* at 2.06 Å resolution. *Proteins* 2006;64(3):808-13.

348. Ellis D, Kuhlen KL, Anaclerio B, Wu B, Wolff K, Yin H, Bursulaya B, Caldwell J, Karanewsky D, He Y. Design, synthesis, and biological evaluations of novel quinolones as HIV-1 non-nucleoside reverse transcriptase inhibitors. *Bioorg Med Chem Lett* 2006;16(16):4246-51.
347. Wang Z, Wu B, Kuhlen KL, Bursulaya B, Nguyen TN, Nguyen DG, He Y. Synthesis and biological evaluations of sulfanyltriazoles as novel HIV-1 non-nucleoside reverse transcriptase inhibitors. *Bioorg Med Chem Lett* 2006;16(16):4174-7.
346. Okram B, Nagle A, Adrian FJ, Lee C, Ren P, Wang X, Sim T, Xie Y, Wang X, Xia G, et al. A general strategy for creating "inactive-conformation" abl inhibitors. *Chem Biol* 2006;13(7):779-86.
345. Liu Y, Gray NS. Rational design of inhibitors that bind to inactive kinase conformations. *Nat Chem Biol* 2006;2(7):358-64.
344. Eshaghi S, Niegowski D, Kohl A, Martinez Molina D, Lesley SA, Nordlund P. Crystal structure of a divalent metal ion transporter CorA at 2.9 angstrom resolution. *Science* 2006;313(5785):354-7.
343. Wu B, Kuhlen K, Ngoc Nguyen T, Ellis D, Anaclerio B, He X, Yang K, Karanewsky D, Yin H, Wolff K, et al. Synthesis and evaluation of N-aryl pyrrolidinones as novel anti-HIV-1 agents. Part 1. *Bioorg Med Chem Lett* 2006;16(13):3430-3.
342. Galgano MT, Hampton GM, Frierson HF, Jr. Comprehensive analysis of HE4 expression in normal and malignant human tissues. *Mod Pathol* 2006;19(6):847-53.
341. Sandoval CM, Geierstanger BH, Fujimura S, Balatbat C, Williams T, de Unamuno J, Whiles-Lillig JA, Ellerby LM, Ellerby HM, Jennings P, et al. Structural evaluation of a novel pro-apoptotic peptide coupled to CNGRC tumor homing sequence by NMR. *Chem Biol Drug Des* 2006;67(6):417-24.
340. Kidgell C, Volkman SK, Daily J, Borevitz JO, Plouffe D, Zhou Y, Johnson JR, Le Roch K, Sarr O, Ndir O, et al. A systematic map of genetic variation in *Plasmodium falciparum*. *PLoS Pathog* 2006;2(6):562-77.
339. Epple R, Azimioara M, Russo R, Bursulaya B, Tian SS, Gerken A, Iskandar M. 1,3,5-Trisubstituted aryls as highly selective PPARdelta agonists. *Bioorg Med Chem Lett* 2006;16(11):2969-73.
338. Mathews, II, Krishna SS, Schwarzenbacher R, McMullan D, Abdubek P, Ambing E, Canaves JM, Chiu HJ, Deacon AM, DiDonato M, et al. Crystal structure of phosphoribosylformylglycinamide synthase II (smPurL) from *Thermotoga maritima* at 2.15 Å resolution. *Proteins* 2006;63(4):1106-11.
337. Jin KK, Krishna SS, Schwarzenbacher R, McMullan D, Abdubek P, Agarwalla S, Ambing E, Axelrod H, Canaves JM, Chiu HJ, et al. Crystal structure of TM1367 from

Thermotoga maritima at 1.90 Å resolution reveals an atypical member of the cyclophilin (peptidylprolyl isomerase) fold. *Proteins* 2006;63(4):1112-8.

336. Lloyd DJ, Bohan S, Gekakis N. Obesity, hyperphagia and increased metabolic efficiency in Pc1 mutant mice. *Hum Mol Genet* 2006;15(11):1884-93.

335. Columbus L, Lipfert J, Klock H, Millett I, Doniach S, Lesley SA. Expression, purification, and characterization of *Thermotoga maritima* membrane proteins for structure determination. *Protein Sci* 2006;15(5):961-75.

334. Cho CY, Koo SH, Wang Y, Callaway S, Hedrick S, Mak PA, Orth AP, Peters EC, Saez E, Montminy M, et al. Identification of the tyrosine phosphatase PTP-MEG2 as an antagonist of hepatic insulin signaling. *Cell Metab* 2006;3(5):367-78.

333. Huang YH, Barouch-Bentov R, Herman A, Walker J, Sauer K. Integrating traditional and postgenomic approaches to investigate lymphocyte development and function. *Adv Exp Med Biol* 2006;584:245-76.

332. Choi HS, Wang Z, Richmond W, He X, Yang K, Jiang T, Karanewsky D, Gu XJ, Zhou V, Liu Y, et al. Design and synthesis of 7H-pyrrolo[2,3-d]pyrimidines as focal adhesion kinase inhibitors. Part 2. *Bioorg Med Chem Lett* 2006;16(10):2689-92.

331. D'Antoni CM, Fuchs M, Harris JL, Ko HP, Meyer RE, Nadel ME, Randall JD, Rooke JE, Nalefski EA. Rapid quantitative analysis using a single molecule counting approach. *Anal Biochem* 2006;352(1):97-109.

330. Ari N, Westling L, Isbell J. Cherry-picking in an orchard: unattended LC/MS analysis from an autosampler with >32,000 samples online. *J Biomol Screen* 2006;11(3):318-22.

329. Engstrom PG, Suzuki H, Ninomiya N, Akalin A, Sessa L, Lavorgna G, Brozzi A, Luzi L, Tan SL, Yang L, et al. Complex Loci in human and mouse genomes. *PLoS Genet* 2006;2(4):e47.

328. Ching KA, Cooke MP, Tarantino LM, Lapp H. Data and animal management software for large-scale phenotype screening. *Mamm Genome* 2006;17(4):288-97.

327. Bandell M, Dubin AE, Petrus MJ, Orth A, Mathur J, Hwang SW, Patapoutian A. High-throughput random mutagenesis screen reveals TRPM8 residues specifically required for activation by menthol. *Nat Neurosci* 2006;9(4):493-500.

326. Maeda N, Kasukawa T, Oyama R, Gough J, Frith M, Engstrom PG, Lenhard B, Aturaliya RN, Batalov S, Beisel KW, et al. Transcript annotation in FANTOM3: mouse gene catalog based on physical cDNAs. *PLoS Genet* 2006;2(4):498-503.

325. Mason A, Agrawal N, Washington MT, Lesley SA, Kohen A. A lag-phase in the reduction of flavin dependent thymidylate synthase (FDTS) revealed a mechanistic missing link. *Chem Commun (Camb)* 2006(16):1781-3.

324. Turner JM, Graziano J, Spraggon G, Schultz PG. Structural plasticity of an aminoacyl-tRNA synthetase active site. *Proc Natl Acad Sci U S A* 2006;103(17):6483-8.
323. Choi HS, Wang Z, Richmond W, He X, Yang K, Jiang T, Sim T, Karanewsky D, Gu XJ, Zhou V, et al. Design and synthesis of 7Hpyrrolo[2,3-d]pyrimidines as focal adhesion kinase inhibitors. Part 1. *Bioorg Med Chem Lett* 2006;16(8):2173-6.
322. Jiang T, Kuhlen KL, Wolff K, Yin H, Bieza K, Caldwell J, Bursulaya B, Wu TY, He Y. Design, synthesis and biological evaluations of novel oxindoles as HIV-1 non-nucleoside reverse transcriptase inhibitors. Part I. *Bioorg Med Chem Lett* 2006;16(8):2105-8.
321. Jiang T, Kuhlen KL, Wolff K, Yin H, Bieza K, Caldwell J, Bursulaya B, Tuntland T, Zhang K, Karanewsky D, et al. Design, synthesis, and biological evaluations of novel oxindoles as HIV-1 non-nucleoside reverse transcriptase inhibitors. Part 2. *Bioorg Med Chem Lett* 2006;16(8):2109-12.
320. DiDonato M, Krishna SS, Schwarzenbacher R, McMullan D, Jaroszewski L, Miller MD, Abdubek P, Agarwalla S, Ambing E, Axelrod H, et al. Crystal structure of a single-stranded DNA-binding protein (TM0604) from *Thermotoga maritima* at 2.60 Å resolution. *Proteins* 2006;63(1):256-60.
319. Tully DC, Liu H, Alper PB, Chatterjee AK, Epple R, Roberts MJ, Williams JA, Nguyen KT, Woodmansee DH, Tumanut C, et al. Synthesis and evaluation of arylaminoethyl amides as noncovalent inhibitors of cathepsin S. Part 3: heterocyclic P3. *Bioorg Med Chem Lett* 2006;16(7):1975-80.
318. Geierstanger BH, Saviranta P, Brinker A. Antibody microarrays using resonance light-scattering particles for detection. *Methods Mol Biol* 2006;328:31-50.
317. Li J, Zhou Y, Elston RC. Haplotype-based quantitative trait mapping using a clustering algorithm. *BMC Bioinformatics*. 2006. 7:258.
316. Nagle A, Hur W, Gray NS. Antimitotic agents of natural origin. *Curr Drug Targets* 2006;7(3):305-26.
315. Sato TK, Yamada RG, Ukai H, Baggs JE, Miraglia LJ, Kobayashi TJ, Welsh DK, Kay SA, Ueda HR, Hogenesch JB. Feedback repression is required for mammalian circadian clock function. *Nat Genet* 2006;38(3):312-9.
314. Luesch H, Chanda SK, Raya RM, DeJesus PD, Orth AP, Walker JR, Izpisua Belmonte JC, Schultz PG. A functional genomics approach to the mode of action of apratoxin A. *Nat Chem Biol* 2006;2(3):158-67.
313. Reijmers LG, Coats JK, Pletcher MT, Wiltshire T, Tarantino LM, Mayford M. A mutant mouse with a highly specific contextual fear-conditioning deficit found in an N-ethyl-N-nitrosourea (ENU) mutagenesis screen. *Learn Mem* 2006;13(2):143-9.

312. Alper PB, Liu H, Chatterjee AK, Nguyen KT, Tully DC, Tumanut C, Li J, Harris JL, Tuntland T, Chang J, et al. Arylaminoethyl amides as noncovalent inhibitors of cathepsin S. Part 2: Optimization of P1 and N-aryl. *Bioorg Med Chem Lett* 2006;16(6):1486-90.
311. Collins CS, Hong J, Sapinoso L, Zhou Y, Liu Z, Micklash K, Schultz PG, Hampton GM. A small interfering RNA screen for modulators of tumor cell motility identifies MAP4K4 as a promigratory kinase. *Proc Natl Acad Sci U S A* 2006;103(10):3775-80.
310. Adrian FJ, Ding Q, Sim T, Velentza A, Sloan C, Liu Y, Zhang G, Hur W, Ding S, Manley P, et al. Allosteric inhibitors of Bcr-abl-dependent cell proliferation. *Nat Chem Biol* 2006;2(2):95-102.
309. Tabeta K, Hoebe K, Janssen EM, Du X, Georgel P, Crozat K, Mudd S, Mann N, Sovath S, Goode J, et al. The Unc93b1 mutation 3d disrupts exogenous antigen presentation and signaling via Toll-like receptors 3, 7 and 9. *Nat Immunol* 2006;7(2):156-64.
308. Melnick JS, Janes J, Kim S, Chang JY, Sipes DG, Gunderson D, Jarnes L, Matzen JT, Garcia ME, Hood TL, et al. An efficient rapid system for profiling the cellular activities of molecular libraries. *Proc Natl Acad Sci U S A* 2006;103(9):3153-8.
307. Zhang Q, Liu Y, Gao F, Ding Q, Cho C, Hur W, Jin Y, Uno T, Joazeiro CA, Gray N. Discovery of EGFR selective 4,6-disubstituted pyrimidines from a combinatorial kinase-directed heterocycle library. *J Am Chem Soc* 2006;128(7):2182-3.
306. McClurg P, Pletcher MT, Wiltshire T, Su AI. Comparative analysis of haplotype association mapping algorithms. *BMC Bioinformatics* 2006;7:61.
305. Brinker A, Caldwell J. LeadID : an emphasis on positive selection. The art of hit triaging in pathway screening. *Screening Trends Drug Discov* 2006;1:36-38.
304. Neely LA, Patel S, Garver J, Gallo M, Hackett M, McLaughlin S, Nadel M, Harris J, Gullans S, Rooke J. A single-molecule method for the quantitation of microRNA gene expression. *Nat Methods* 2006;3(1):41-6.
303. Nguyen DG, Wolff KC, Yin H, Caldwell JS, Kuhlen KL. "UnPAKing" human immunodeficiency virus (HIV) replication: using small interfering RNA screening to identify novel cofactors and elucidate the role of group I PAKs in HIV infection. *J Virol* 2006;80(1):130-7.
302. Spalding TA, Burstein ES. Constitutive activity of muscarinic acetylcholine receptors. *J Recept Signal Transduct Res* 2006;26(1-2):61-85.
301. Xu Q, Schwarzenbacher R, McMullan D, Abdubek P, Agarwalla S, Ambing E, Axelrod H, Biorac T, Canaves JM, Chiu HJ, et al. Crystal structure of virulence factor CJ0248 from *Campylobacter jejuni* at 2.25 Å resolution reveals a new fold. *Proteins* 2006;62(1):292-6.

300. Caldwell JS, Chanda SK, Irelan J, Koenig R. Genomics. In: Kubinyi H, editor. *Comprehensive Medicinal Chemistry II*. Volume 3. Amsterdam: Elsevier; 2006. p 1-26.
299. Han S, Zhou V, Pan S, Liu Y, Hornsby M, McMullan D, Klock HE, Haugen J, Lesley SA, Gray N, et al. Identification of coumarin derivatives as a novel class of allosteric MEK1 inhibitors. *Bioorg Med Chem Lett* 2005;15(24):5467-73.
298. Klock HE, Schwarzenbacher R, Xu Q, McMullan D, Abdubek P, Ambing E, Axelrod H, Biorac T, Canaves JM, Chiu HJ, et al. Crystal structure of a conserved hypothetical protein (gi: 13879369) from Mouse at 1.90 Å resolution reveals a new fold. *Proteins* 2005;61(4):1132-6.
297. Yan SF, Asatryan H, Li J, Zhou Y. Novel statistical approach for primary high-throughput screening hit selection. *J Chem Inf Model* 2005;45(6):1784-90.
296. Harris JL, Winssinger N. PNA encoding (PNA=peptide nucleic acid): from solution-based libraries to organized microarrays. *Chemistry* 2005;11(23):6792-801.
295. Jaroszewski L, Schwarzenbacher R, McMullan D, Abdubek P, Agarwalla S, Ambing E, Axelrod H, Biorac T, Canaves JM, Chiu HJ, et al. Crystal structure of Hsp33 chaperone (TM1394) from *Thermotoga maritima* at 2.20 Å resolution. *Proteins* 2005;61(3):669-73.
294. Liu H, Tully DC, Epple R, Bursulaya B, Li J, Harris JL, Williams JA, Russo R, Tumanut C, Roberts MJ, et al. Design and synthesis of arylaminoethyl amides as noncovalent inhibitors of cathepsin S. Part 1. *Bioorg Med Chem Lett* 2005;15(22):4979-84.
293. Chamberlain PP, Sandberg ML, Sauer K, Cooke MP, Lesley SA, Spraggon G. Structural insights into enzyme regulation for inositol 1,4,5-trisphosphate 3-kinase B. *Biochemistry (Mosc)* 2005;44(44):14486-93.
292. Rife C, Schwarzenbacher R, McMullan D, Abdubek P, Ambing E, Axelrod H, Biorac T, Canaves JM, Chiu HJ, Deacon AM, et al. Crystal structure of a putative modulator of DNA gyrase (pmbA) from *Thermotoga maritima* at 1.95 Å resolution reveals a new fold. *Proteins* 2005;61(2):444-8.
291. Rife C, Schwarzenbacher R, McMullan D, Abdubek P, Ambing E, Axelrod H, Biorac T, Canaves JM, Chiu HJ, Deacon AM, et al. Crystal structure of the global regulatory protein CsrA from *Pseudomonas putida* at 2.05 Å resolution reveals a new fold. *Proteins* 2005;61(2):449-53.
290. Yuan D, Petersen C, Rynd M, Mainquist J, Meyer A, Isbell JJ. A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification. *J Chromatogr* 2005;1092(2):228-34.

289. Rottmann S, Wang Y, Nasoff M, Deveraux QL, Quon KC. A TRAIL receptor-dependent synthetic lethal relationship between MYC activation and GSK3beta/FBW7 loss of function. *Proc Natl Acad Sci U S A* 2005;102(42):15195-200.
288. Jansma A, Chuan T, Albrecht RW, Olson DL, Peck TL, Geierstanger BH. Automated microflow NMR: routine analysis of five-microliter samples. *Anal Chem* 2005;77(19):6509-15.
287. Rutherford S, Hampton GM, Frierson HF, Moskaluk CA. Mapping of candidate tumor suppressor genes on chromosome 12 in adenoid cystic carcinoma. *Lab Invest* 2005;85(9):1076-85.
286. Young JA, Fivelman QL, Blair PL, de la Vega P, Le Roch KG, Zhou Y, Carucci DJ, Baker DA, Winzeler EA. The *Plasmodium falciparum* sexual development transcriptome: a microarray analysis using ontology-based pattern identification. *Mol Biochem Parasitol* 2005;143(1):67-79.
285. Katayama S, Tomaru Y, Kasukawa T, Waki K, Nakanishi M, Nakamura M, Nishida H, Yap CC, Suzuki M, Kawai J, et al. Antisense transcription in the mammalian transcriptome. *Science* 2005;309(5740):1564-6.
284. Willingham AT, Orth AP, Batalov S, Peters EC, Wen BG, Aza-Blanc P, Hogenesch JB, Schultz PG. A strategy for probing the function of noncoding RNAs finds a repressor of NFAT. *Science* 2005;309(5740):1570- 3.
283. Carninci P, Kasukawa T, Katayama S, Gough J, Frith MC, Maeda N, Oyama R, Ravasi T, Lenhard B, Wells C, et al. The transcriptional landscape of the mammalian genome. *Science* 2005;309(5740):1559-63.
282. Han GW, Schwarzenbacher R, McMullan D, Abdubek P, Ambing E, Axelrod H, Biorac T, Canaves JM, Chiu HJ, Dai X, et al. Crystal structure of an Apo mRNA decapping enzyme (DcpS) from Mouse at 1.83 A resolution. *Proteins* 2005;60(4):797-802.
281. Lloyd DJ, Hall FW, Tarantino LM, Gekakis N. Diabetes insipidus in mice with a mutation in aquaporin-2. *PLoS Genet* 2005;1(2):e20.
280. Wang Y, Klock H, Yin H, Wolff K, Bieza K, Niswonger K, Matzen J, Gunderson D, Hale J, Lesley S, et al. Homogeneous high-throughput screening assays for HIV-1 integrase 3beta-processing and strand transfer activities. *J Biomol Screen* 2005;10(5):456-62.
279. Harada JN, Bower KE, Orth AP, Callaway S, Nelson CG, Laris C, Hogenesch JB, Vogt PK, Chanda SK. Identification of novel mammalian growth regulatory factors by genome-scale quantitative image analysis. *Genome Res* 2005;15(8):1136-44.
278. Haab BB, Geierstanger BH, Michailidis G, Vitzthum F, Forrester S, Okon R, Saviranta P, Brinker A, Sorette M, Perlee L, et al. Immunoassay and antibody

microarray analysis of the HUPO Plasma Proteome Project reference specimens: systematic variation between sample types and calibration of mass spectrometry data. *Proteomics* 2005;5(13):3278-91.

277. Peters EC. A polymeric solution for enriching the phosphoproteome. *Nat Methods* 2005;2(8):579-80.

276. Titus B, Frierson HF, Jr., Conaway M, Ching K, Guise T, Chirgwin J, Hampton G, Theodorescu D. Endothelin axis is a target of the lung metastasis suppressor gene RhoGDI2. *Cancer Res* 2005;65(16):7320-7.

275. Vengellur A, Phillips JM, Hogenesch JB, LaPres JJ. Gene expression profiling of hypoxia signaling in human hepatocellular carcinoma cells. *Physiol Genomics* 2005;22(3):308-18.

274. Li J, Lim SP, Beer D, Patel V, Wen D, Tumanut C, Tully DC, Williams JA, Jiricek J, Priestle JP, et al. Functional profiling of recombinant NS3 proteases from all four serotypes of dengue virus using tetrapeptide and octapeptide substrate libraries. *J Biol Chem* 2005;280(31):28766-74.

273. Che JW. A simple method for improving torsion optimization of ligand molecules in receptor binding sites. *J Chem Theory Comput* 2005;1(4):634- 642.

272. Watson J. Prestaining with nuclear fast red as a blocking reaction to clean up reticulum stains and intensify fiber staining. *J Histotechnol* 2005;28(2):99-104.

271. Petrassi HM, Williams JA, Li J, Tumanut C, Ek J, Nakai T, Masick B, Backes BJ, Harris JL. A strategy to profile prime and non-prime proteolytic substrate specificity. *Bioorg Med Chem Lett* 2005;15(12):3162-6.

270. Levin I, Miller MD, Schwarzenbacher R, McMullan D, Abdubek P, Ambing E, Biorac T, Cambell J, Canaves JM, Chiu HJ, et al. Crystal structure of an indigoidine synthase A (IndA)-like protein (TM1464) from *Thermotoga maritima* at 1.90 Å resolution reveals a new fold. *Proteins* 2005;59(4):864-8.

269. Mathews I, Schwarzenbacher R, McMullan D, Abdubek P, Ambing E, Axelrod H, Biorac T, Canaves JM, Chiu HJ, Deacon AM, et al. Crystal structure of S-adenosylmethionine:tRNA ribosyltransferase-isomerase (QueA) from *Thermotoga maritima* at 2.0 Å resolution reveals a new fold. *Proteins* 2005;59(4):869-74.

268. Macpherson LJ, Geierstanger BH, Viswanath V, Bandell M, Eid SR, Hwang S, Patapoutian A. The pungency of garlic: activation of TRPA1 and TRPV1 in response to allicin. *Curr Biol* 2005;15(10):929-34.

267. Wilkens SJ, Janes J, Su AI. HierS: hierarchical scaffold clustering using topological chemical graphs. *J Med Chem* 2005;48(9):3182-93.

266. Fox CA, Sapinoso LM, Zhang H, Zhang W, McLeod HL, Petroni GR, Mullick T, Moskaluk CA, Frierson HF, Hampton GM, et al. Altered expression of TFF-1 and CES-2 in Barrett's Esophagus and associated adenocarcinomas. *Neoplasia* 2005;7(4):407-16.
265. Brittain SM, Ficarro SB, Brock A, Peters EC. Enrichment and analysis of peptide subsets using fluororous affinity tags and mass spectrometry. *Nat Biotechnol* 2005;23(4):463-8.
264. Takagi Y, Masuda CA, Chang WH, Komori H, Wang D, Hunter T, Joazeiro CA, Kornberg RD. Ubiquitin ligase activity of TFIID and the transcriptional response to DNA damage. *Mol Cell* 2005;18(2):237-43.
263. Zhou Y, Young JA, Santrosyan A, Chen K, Yan SF, Winzeler EA. In silico gene function prediction using ontology-based pattern identification. *Bioinformatics* 2005;21(7):1237-45.
262. Daily JP, Le Roch KG, Sarr O, Ndiaye D, Lukens A, Zhou Y, Ndir O, Mboup S, Sultan A, Winzeler EA, et al. In vivo transcriptome of *Plasmodium falciparum* reveals overexpression of transcripts that encode surface proteins. *J Infect Dis* 2005;191(7):1196-203.
261. Isbell JJ, Zhou Y, Guintu C, Rynd M, Jiang S, Petrov D, Micklash K, Mainquist J, Ek J, Chang J, et al. Purifying the masses: integrating prepurification quality control, high-throughput LC/MS purification, and compound plating to feed high-throughput screening. *J Comb Chem* 2005;7(2):210-7.
260. Bystrykh L, Weersing E, Dontje B, Sutton S, Pletcher MT, Wiltshire T, Su AI, Vellenga E, Wang J, Manly KF, et al. Uncovering regulatory pathways that affect hematopoietic stem cell function using 'genetical genomics'. *Nat Genet* 2005;37(3):225-32.
259. Zhang X, Odom DT, Koo SH, Conkright MD, Canettieri G, Best J, Chen H, Jenner R, Herbolsheimer E, Jacobsen E, et al. Genome-wide analysis of cAMP-response element binding protein occupancy, phosphorylation, and target gene activation in human tissues. *Proc Natl Acad Sci U S A* 2005;102(12):4459-64.
258. Moqrich A, Hwang SW, Earley TJ, Petrus MJ, Murray AN, Spencer KS, Andahazy M, Story GM, Patapoutian A. Impaired thermosensation in mice lacking TRPV3, a heat and camphor sensor in the skin. *Science* 2005;307(5714):1468-72.
257. Xu Q, Schwarzenbacher R, McMullan D, Abdubek P, Ambing E, Biorac T, Canaves JM, Chiu HJ, Dai X, Deacon AM, et al. Crystal structure of a formiminotetrahydrofolate cyclodeaminase (TM1560) from *Thermotoga maritima* at 2.80 Å resolution reveals a new fold. *Proteins* 2005;58(4):976-81.
256. Han GW, Schwarzenbacher R, Page R, Jaroszewski L, Abdubek P, Ambing E, Biorac T, Canaves JM, Chiu HJ, Dai X, et al. Crystal structure of an alanine-glyoxylate

- aminotransferase from *Anabaena* sp. at 1.70 Å resolution reveals a noncovalently linked PLP cofactor. *Proteins* 2005;58(4):971-5.
255. Kreuzsch A, Han S, Brinker A, Zhou V, Choi HS, He Y, Lesley SA, Caldwell J, Gu XJ. Crystal structures of human HSP90 α -complexed with dihydroxyphenylpyrazoles. *Bioorg Med Chem Lett* 2005;15(5):1475-8.
254. Sandberg ML, Sutton SE, Pletcher MT, Wiltshire T, Tarantino LM, Hogenesch JB, Cooke MP. c-Myb and p300 regulate hematopoietic stem cell proliferation and differentiation. *Dev Cell* 2005;8(2):153-66.
253. Cohen SB, Gaskins C, Nasoff MS. Generation of a monoclonal antibody agonist to toll-like receptor 4. *Hybridoma (Larchmt)* 2005;24(1):27-35.
252. Arndt JW, Schwarzenbacher R, Page R, Abdubek P, Ambing E, Biorac T, Canaves JM, Chiu HJ, Dai X, Deacon AM, et al. Crystal structure of an α/β serine hydrolase (YDR428C) from *Saccharomyces cerevisiae* at 1.85 Å resolution. *Proteins* 2005;58(3):755-8.
251. Rosenzweig M, Brennan KM, Taylor TD, Phelps PO, Patapoutian A, Garrity PA. The *Drosophila* ortholog of vertebrate TRPA1 regulates thermotaxis. *Genes Dev* 2005;19(4):419-24.
250. Zhong JF, Zhao Y, Sutton S, Su A, Zhan Y, Zhu L, Yan C, Gallaher T, Johnston PB, Anderson WF, et al. Gene expression profile of murine long-term reconstituting vs. short-term reconstituting hematopoietic stem cells. *Proc Natl Acad Sci U S A* 2005;102(7):2448-53.
249. Soares ML, Coelho T, Sousa A, Batalov S, Conceicao I, Sales-Luis ML, Ritchie MD, Williams SM, Nievergelt CM, Schork NJ, et al. Susceptibility and modifier genes in Portuguese transthyretin V30M amyloid polyneuropathy: complexity in a single-gene disease. *Hum Mol Genet* 2005;14(4):543-53.
248. Liu J, Bang AG, Kintner C, Orth AP, Chanda SK, Ding S, Schultz PG. Identification of the Wnt signaling activator leucine-rich repeat in Flightless interaction protein 2 by a genome-wide functional analysis. *Proc Natl Acad Sci U S A* 2005;102(6):1927-32.
247. Meinhold-Heerlein I, Bauerschlag D, Hilpert F, Dimitrov P, Sapinoso LM, Orłowska-Volk M, Bauknecht T, Park TW, Jonat W, Jacobsen A, et al. Molecular and prognostic distinction between serous ovarian carcinomas of varying grade and malignant potential. *Oncogene* 2005;24(6):1053-65.
246. Luesch H, Wu TY, Ren P, Gray NS, Schultz PG, Supek F. A genome-wide overexpression screen in yeast for small-molecule target identification. *Chem Biol* 2005;12(1):55-63.
245. Deiters A, Geierstanger BH, Schultz PG. Site-specific in vivo labeling of proteins for NMR studies. *ChemBiochem* 2005;6(1):55-8.

244. Young JA, Winzeler EA. Using expression information to discover new drug and vaccine targets in the malaria parasite *Plasmodium falciparum*. *Pharmacogenomics* 2005;6(1):17-26.
243. Panda S, Nayak SK, Campo B, Walker JR, Hogenesch JB, Jegla T. Illumination of the melanopsin signaling pathway. *Science* 2005;307(5709):600-4.
242. Ficarro SB, Salomon AR, Brill LM, Mason DE, Stettler-Gill M, Brock A, Peters EC. Automated immobilized metal affinity chromatography/nanoliquid chromatography/electrospray ionization mass spectrometry platform for profiling protein phosphorylation sites. *Rapid Commun Mass Spectrom* 2005;19(1):57-71.
241. Gurkan C, Lapp H, Hogenesch JB, Balch WE. Exploring trafficking GTPase function by mRNA expression profiling: use of the SymAtlas webapplication and the Membrome datasets. *Methods Enzymol* 2005;403:1-10.
240. McMullan D, Canaves JM, Quijano K, Abdubek P, Nigoghossian E, Haugen J, Klock HE, Vincent J, Hale J, Paulsen J, et al. High-throughput protein production for X-ray crystallography and use of size exclusion chromatography to validate or refute computational biological unit predictions. *J Struct Funct Genomics* 2005;6(2-3):135-41.
239. Klock HE, White A, Koesema E, Lesley SA. Methods and results for semiautomated cloning using integrated robotics. *J Struct Funct Genomics* 2005;6(2-3):89-94.
238. Li W, Chanda SK, Micik I, Joazeiro CA. Methods for the functional genomic analysis of ubiquitin ligases. *Methods Enzymol* 2005;398:280-91.
237. Winssinger N, Harris JL. Microarray-based functional protein profiling using peptide nucleic acid-encoded libraries. *Expert Rev Proteomics* 2005;2(6):937-947.
236. Yuan D, Uvarova V, Isbell J. Peak seeker: An algorithm for rapid determination of solubility. *JALA J Assoc Lab Autom* 2005;10(4):254-257.
235. Molteni V, Kreuzsch A. Peptide deformylase inhibitors: A survey of the patent literature. *Expert Opin Ther Pat* 2005;15(10):1423-1437.
234. Lesley SA, Wilson IA. Protein production and crystallization at the joint center for structural genomics. *J Struct Funct Genomics* 2005;6(2-3):71-9.
233. Molteni V, Ellis D. Recent advances in microwave-assisted synthesis of heterocyclic compounds. *Curr Org Synth* 2005;2(3):333-375.
232. Walker JR, Hogenesch JB. RNA profiling in circadian biology. *Methods Enzymol* 2005;393:366-76.

231. Page R, Deacon AM, Lesley SA, Stevens RC. Shotgun crystallization strategy for structural genomics II: crystallization conditions that produce high resolution structures for *T. maritima* proteins. *J Struct Funct Genomics* 2005;6(2-3):209-17.
230. Self DW, Choi KH, Simmons D, Walker JR, Smagula CS. Extinction training regulates neuroadaptive responses to withdrawal from chronic cocaine self-administration. *Learn Mem* 2004;11(5):648-57.
229. Scott LG, Geierstanger BH, Williamson JR, Hennig M. Enzymatic synthesis and 19F NMR studies of 2-fluoroadenine-substituted RNA. *J Am Chem Soc* 2004;126(38):11776-7.
228. Testa G, Harris J. Genetics. Ethical aspects of ES cell-derived gametes. *Science* 2004;305(5691):1719.
227. Khidekel N, Ficarro SB, Peters EC, Hsieh-Wilson LC. Exploring the OGlcNAc proteome: direct identification of O-GlcNAc-modified proteins from the brain. *Proc Natl Acad Sci U S A* 2004;101(36):13132-7.
226. Tai HC, Khidekel N, Ficarro SB, Peters EC, Hsieh-Wilson LC. Parallel identification of O-GlcNAc-modified proteins from cell lysates. *J Am Chem Soc* 2004;126(34):10500-1.
225. Flechner SM, Kurian SM, Head SR, Sharp SM, Whisenant TC, Zhang J, Chismar JD, Horvath S, Mondala T, Gilmartin T, et al. Kidney transplant rejection and tissue injury by gene profiling of biopsies and peripheral blood lymphocytes. *Am J Transplant* 2004;4(9):1475-89.
224. Wu X, Walker J, Zhang J, Ding S, Schultz PG. Purmorphamine induces osteogenesis by activation of the hedgehog signaling pathway. *Chem Biol* 2004;11(9):1229-38.
223. Joseph SB, Bradley MN, Castrillo A, Bruhn KW, Mak PA, Pei L, Hogenesch J, O'Connell R M, Cheng G, Saez E, et al. LXR-dependent gene expression is important for macrophage survival and the innate immune response. *Cell* 2004;119(2):299-309.
222. Miller MD, Schwarzenbacher R, von Delft F, Abdubek P, Ambing E, Biorac T, Brinen LS, Canaves JM, Cambell J, Chiu HJ, et al. Crystal structure of a tandem cystathionine-beta-synthase (CBS) domain protein (TM0935) from *Thermotoga maritima* at 1.87 Å resolution. *Proteins* 2004;57(1):213-7.
221. Harris J, Mason DE, Li J, Burdick KW, Backes BJ, Chen T, Shipway A, Van Heeke G, Gough L, Ghaemmaghami A, et al. Activity profile of dust mite allergen extract using substrate libraries and functional proteomic microarrays. *Chem Biol* 2004;11(10):1361-72.

220. Saviranta P, Okon R, Brinker A, Warashina M, Eppinger J, Geierstanger BH. Evaluating sandwich immunoassays in microarray format in terms of the ambient analyte regime. *Clin Chem* 2004;50(10):1907-20.
219. Panda S, Hogenesch JB. It's all in the timing: many clocks, many outputs. *J Biol Rhythms* 2004;19(5):374-87.
218. Winssinger N, Damoiseaux R, Tully DC, Geierstanger BH, Burdick K, Harris JL. PNA-encoded protease substrate microarrays. *Chem Biol* 2004;11(10):1351-60.
217. Spielewoy N, Flick K, Kalashnikova TI, Walker JR, Wittenberg C. Regulation and recognition of SCFGrr1 targets in the glucose and amino acid signaling pathways. *Mol Cell Biol* 2004;24(20):8994-9005.
216. Xie J, Wang L, Wu N, Brock A, Spraggon G, Schultz PG. The site-specific incorporation of p-iodo-L-phenylalanine into proteins for structure determination. *Nat Biotechnol* 2004;22(10):1297-301.
215. Shipway A, Danahay H, Williams JA, Tully DC, Backes BJ, Harris JL. Biochemical characterization of prostasin, a channel activating protease. *Biochem Biophys Res Commun* 2004;324(2):953-63.
214. Horn DM, Peters EC, Klock H, Meyers A, Brock A. Improved protein identification using automated high mass measurement accuracy MALDI FT-ICR MS peptide mass fingerprinting. *Int J Mass Spectrom Ion Processes* 2004;238(2):189-196.
213. Nicholson BE, Frierson HF, Conaway MR, Seraj JM, Harding MA, Hampton GM, Theodorescu D. Profiling the evolution of human metastatic bladder cancer. *Cancer Res* 2004;64(21):7813-21.
212. Willingham AT, Deveraux QL, Hampton GM, Aza-Blanc P. RNAi and HTS: exploring cancer by systematic loss-of-function. *Oncogene* 2004;23(51):8392-400.
211. Ito D, Walker JR, Thompson CS, Moroz I, Lin W, Veselits ML, Hakim AM, Fienberg AA, Thinakaran G. Characterization of stanniocalcin 2, a novel target of the mammalian unfolded protein response with cytoprotective properties. *Mol Cell Biol* 2004;24(21):9456-69.
210. Churchill GA, Airey DC, Allayee H, Angel JM, Attie AD, Beatty J, Beavis WD, Belknap JK, Bennett B, Berrettini W, et al. The Collaborative Cross, a community resource for the genetic analysis of complex traits. *Nat Genet* 2004;36(11):1133-7.
209. Schwarzenbacher R, Jaroszewski L, von Delft F, Abdubek P, Ambing E, Biorac T, Brinen LS, Canaves JM, Cambell J, Chiu HJ, et al. Crystal structure of a type II quinolic acid phosphoribosyltransferase (TM1645) from *Thermotoga maritima* at 2.50 Å resolution. *Proteins* 2004;55(3):768-71.

208. Schwarzenbacher R, Jaroszewski L, von Delft F, Abdubek P, Ambing E, Biorac T, Brinen LS, Canaves JM, Cambell J, Chiu HJ, et al. Crystal structure of an aspartate aminotransferase (TM1255) from *Thermotoga maritima* at 1.90 Å resolution. *Proteins* 2004;55(3):759-63.
207. Brill LM, Salomon AR, Ficarro SB, Mukherji M, Stettler-Gill M, Peters EC. Robust phosphoproteomic profiling of tyrosine phosphorylation sites from human T cells using immobilized metal affinity chromatography and tandem mass spectrometry. *Anal Chem* 2004;76(10):2763-72.
206. Schwarzenbacher R, Jaroszewski L, von Delft F, Abdubek P, Ambing E, Biorac T, Brinen LS, Canaves JM, Cambell J, Chiu HJ, et al. Crystal structure of a phosphoribosylaminoimidazole mutase PurE (TM0446) from *Thermotoga maritima* at 1.77-Å resolution. *Proteins* 2004;55(2):474-8.
205. Wang Y, Engels IH, Knee DA, Nasoff M, Deveraux QL, Quon KC. Synthetic lethal targeting of MYC by activation of the DR5 death receptor pathway. *Cancer Cell* 2004;5(5):501-12.
204. Bandell M, Story GM, Hwang SW, Viswanath V, Eid SR, Petrus MJ, Earley TJ, Patapoutian A. Noxious cold ion channel TRPA1 is activated by pungent compounds and bradykinin. *Neuron* 2004;41(6):849-57.
203. Molteni V, He X, Nabakka J, Yang K, Kreuzsch A, Gordon P, Bursulaya B, Warner I, Shin T, Biorac T, et al. Identification of novel potent bicyclic peptide deformylase inhibitors. *Bioorg Med Chem Lett* 2004;14(6):1477-81.
202. Huang Q, Raya A, DeJesus P, Chao SH, Quon KC, Caldwell JS, Chanda SK, Izpisua-Belmonte JC, Schultz PG. Identification of p53 regulators by genome-wide functional analysis. *Proc Natl Acad Sci U S A* 2004;101(10):3456-61.
201. Schwarzenbacher R, Deacon AM, Jaroszewski L, Brinen LS, Canaves JM, Dai X, Elsliger MA, Floyd R, Godzik A, Grittini C, et al. Crystal structure of a putative glutamine amido transferase (TM1158) from *Thermotoga maritima* at 1.7 Å resolution. *Proteins* 2004;54(4):801-5.
200. Schwarzenbacher R, von Delft F, Abdubek P, Ambing E, Biorac T, Brinen LS, Canaves JM, Cambell J, Chiu HJ, Dai X, et al. Crystal structure of a putative PII-like signaling protein (TM0021) from *Thermotoga maritima* at 2.5 Å resolution. *Proteins* 2004;54(4):810-3.
199. Erlandsen H, Canaves JM, Elsliger MA, von Delft F, Brinen LS, Dai X, Deacon AM, Floyd R, Godzik A, Grittini C, et al. Crystal structure of an HEPN domain protein (TM0613) from *Thermotoga maritima* at 1.75 Å resolution. *Proteins* 2004;54(4):806-9.

198. Lee CC, Wood MD, Ng K, Andersen CB, Liu Y, Luginbuhl P, Spraggon G, Katagiri F. Crystal structure of the type III effector AvrB from *Pseudomonas syringae*. *Structure* 2004;12(3):487-494.
197. Peters EC, Brock A, Ficarro SB. Exploring the phosphoproteome with mass spectrometry. *Mini Rev Med Chem* 2004;4(3):313-24.
196. Zhang Z, Alfonta L, Tian F, Bursulaya B, Uryu S, King DS, Schultz PG. Selective incorporation of 5-hydroxytryptophan into proteins in mammalian cells. *Proc Natl Acad Sci U S A* 2004;101(24):8882-7.
195. Henry AA, Olsen AG, Matsuda S, Yu C, Geierstanger BH, Romesberg FE. Efforts to expand the genetic alphabet: identification of a replicable unnatural DNA self-pair. *J Am Chem Soc* 2004;126(22):6923-31.
194. Spraggon G, Schwarzenbacher R, Kreuzsch A, Lee CC, Abdubek P, Ambing E, Biorac T, Brinen LS, Canaves JM, Cambell J, et al. Crystal structure of an Udp-n-acetylmuramate-alanine ligase MurC (TM0231) from *Thermotoga maritima* at 2.3 Å resolution. *Proteins* 2004;55(4):1078-81.
193. Theodorescu D, Sapinoso LM, Conaway MR, Oxford G, Hampton GM, Frierson HF, Jr. Reduced expression of metastasis suppressor RhoGDI2 is associated with decreased survival for patients with bladder cancer. *Clin Cancer Res* 2004;10(11):3800-6.
192. Mason DE, Ek J, Peters EC, Harris JL. Substrate profiling of deubiquitin hydrolases with a positional scanning library and mass spectrometry. *Biochemistry (Mosc)* 2004;43(21):6535-44.
191. Santelli E, Schwarzenbacher R, McMullan D, Biorac T, Brinen LS, Canaves JM, Cambell J, Dai X, Deacon AM, Elsliger MA, et al. Crystal structure of a glycerophosphodiester phosphodiesterase (GDPD) from *Thermotoga maritima* (TM1621) at 1.60 Å resolution. *Proteins* 2004;56(1):167-70.
190. Xu Q, Schwarzenbacher R, McMullan D, von Delft F, Brinen LS, Canaves JM, Dai X, Deacon AM, Elsliger MA, Eshagi S, et al. Crystal structure of a ribose-5-phosphate isomerase RpiB (TM1080) from *Thermotoga maritima* at 1.90 Å resolution. *Proteins* 2004;56(1):171-5.
189. Nielsen UB, Geierstanger BH. Multiplexed sandwich assays in microarray format. *J Immunol Methods* 2004;290(1-2):107-20.
188. Etezady-Esfarjani T, Herrmann T, Peti W, Klock HE, Lesley SA, Wuthrich K. NMR structure determination of the hypothetical protein TM1290 from *Thermotoga maritima* using automated NOESY analysis. *J Biomol NMR* 2004;29(3):403-6.

187. Pantazatos D, Kim JS, Klock HE, Stevens RC, Wilson IA, Lesley SA, Woods VL, Jr. Rapid refinement of crystallographic protein construct definition employing enhanced hydrogen/deuterium exchange MS. *Proc Natl Acad Sci U S A* 2004;101(3):751-6.
186. Grechez-Cassiau A, Panda S, Lacoche S, Teboul M, Azmi S, Laudet V, Hogenesch JB, Taneja R, Delaunay F. The transcriptional repressor STRA13 regulates a subset of peripheral circadian outputs. *J Biol Chem* 2004;279(2):1141-50.
185. Zheng L, Liu J, Batalov S, Zhou D, Orth A, Ding S, Schultz PG. An approach to genomewide screens of expressed small interfering RNAs in mammalian cells. *Proc Natl Acad Sci U S A* 2004;101(1):135-40.
184. Schwarzenbacher R, von Delft F, Canaves JM, Brinen LS, Dai X, Deacon AM, Elsliger MA, Eshaghi S, Floyd R, Godzik A, et al. Crystal structure of an iron-containing 1,3-propanediol dehydrogenase (TM0920) from *Thermotoga maritima* at 1.3 Å resolution. *Proteins* 2004;54(1):174-7.
183. Page R, Nelson MS, von Delft F, Elsliger MA, Canaves JM, Brinen LS, Dai X, Deacon AM, Floyd R, Godzik A, et al. Crystal structure of gamma-glutamyl phosphate reductase (TM0293) from *Thermotoga maritima* at 2.0 Å resolution. *Proteins* 2004;54(1):157-61.
182. Zeisig BB, Milne T, Garcia-Cuellar MP, Schreiner S, Martin ME, Fuchs U, Borkhardt A, Chanda SK, Walker J, Soden R, et al. *Hoxa9* and *Meis1* are key targets for MLL-ENL-mediated cellular immortalization. *Mol Cell Biol* 2004;24(2):617-28.
181. Wan Y, Hur W, Cho CY, Liu Y, Adrian FJ, Lozach O, Bach S, Mayer T, Fabbro D, Meijer L, et al. Synthesis and target identification of hymenialdisine analogs. *Chem Biol* 2004;11(2):247-59.
180. Spraggon G, Pantazatos D, Klock HE, Wilson IA, Woods VL, Jr., Lesley SA. On the use of DXMS to produce more crystallizable proteins: structures of the *T. maritima* proteins TM0160 and TM1171. *Protein Sci* 2004;13(12):3187-99.
179. Orth AP, Batalov S, Perrone M, Chanda SK. The promise of genomics to identify novel therapeutic targets. *Expert Opin Ther Targets* 2004;8(6):587- 96.
178. Wagner KW, Sapinoso LM, El-Rifai W, Frierson HF, Butz N, Mestan J, Hofmann F, Deveraux QL, Hampton GM. Overexpression, genomic amplification and therapeutic potential of inhibiting the Ubch10 ubiquitin conjugase in human carcinomas of diverse anatomic origin. *Oncogene* 2004;23(39):6621-9.
177. Sato TK, Panda S, Miraglia LJ, Reyes TM, Rudic RD, McNamara P, Naik KA, FitzGerald GA, Kay SA, Hogenesch JB. A functional genomics strategy reveals *Rora* as a component of the mammalian circadian clock. *Neuron* 2004;43(4):527-37.

176. Agrawal N, Lesley SA, Kuhn P, Kohen A. Mechanistic studies of a flavindependent thymidylate synthase. *Biochemistry (Mosc)* 2004;43(32):10295- 301.
175. Jaroszewski L, Schwarzenbacher R, von Delft F, McMullan D, Brinen LS, Canaves JM, Dai X, Deacon AM, DiDonato M, Elsliger MA, et al. Crystal structure of a novel manganese-containing cupin (TM1459) from *Thermotoga maritima* at 1.65 Å resolution. *Proteins* 2004;56(3):611-4.
174. Levin I, Schwarzenbacher R, McMullan D, Abdubek P, Ambing E, Biorac T, Cambell J, Canaves JM, Chiu HJ, Dai X, et al. Crystal structure of a putative NADPH-dependent oxidoreductase (GI: 18204011) from mouse at 2.10 Å resolution. *Proteins* 2004;56(3):629-33.
173. Xu Q, Schwarzenbacher R, Page R, Sims E, Abdubek P, Ambing E, Biorac T, Brinen LS, Cambell J, Canaves JM, et al. Crystal structure of an allantoicase (YIR029W) from *Saccharomyces cerevisiae* at 2.4 Å resolution. *Proteins* 2004;56(3):619-24.
172. Bakolitsa C, Schwarzenbacher R, McMullan D, Brinen LS, Canaves JM, Dai X, Deacon AM, Elsliger MA, Eshagi S, Floyd R, et al. Crystal structure of an orphan protein (TM0875) from *Thermotoga maritima* at 2.00-Å resolution reveals a new fold. *Proteins* 2004;56(3):607-10.
171. Zhou V, Han S, Brinker A, Klock H, Caldwell J, Gu XJ. A time-resolved fluorescence resonance energy transfer-based HTS assay and a surface plasmon resonance-based binding assay for heat shock protein 90 inhibitors. *Anal Biochem* 2004;331(2):349-57.
170. Wagner KW, Engels IH, Deveraux QL. Caspase-2 can function upstream of bid cleavage in the TRAIL apoptosis pathway. *J Biol Chem* 2004;279(33):35047-52.
169. Daily JP, Le Roch KG, Sarr O, Fang X, Zhou Y, Ndir O, Mboup S, Sultan A, Winzeler EA, Wirth DF. In vivo transcriptional profiling of *Plasmodium falciparum*. *Malar J* 2004;3:30.
168. Spraggon G, Schwarzenbacher R, Kreuzsch A, McMullan D, Brinen LS, Canaves JM, Dai X, Deacon AM, Elsliger MA, Eshagi S, et al. Crystal structure of a methionine aminopeptidase (TM1478) from *Thermotoga maritima* at 1.9 Å resolution. *Proteins* 2004;56(2):396-400.
167. Levin I, Schwarzenbacher R, Page R, Abdubek P, Ambing E, Biorac T, Brinen LS, Campbell J, Canaves JM, Chiu HJ, et al. Crystal structure of a PIN (PiIT N-terminus) domain (AF0591) from *Archaeoglobus fulgidus* at 1.90 Å resolution. *Proteins* 2004;56(2):404-8.
166. Schwarzenbacher R, von Delft F, Jaroszewski L, Abdubek P, Ambing E, Biorac T, Brinen LS, Canaves JM, Cambell J, Chiu HJ, et al. Crystal structure of a putative

- oxalate decarboxylase (TM1287) from *Thermotoga maritima* at 1.95 Å resolution. *Proteins* 2004;56(2):392-5.
165. Heine A, Canaves JM, von Delft F, Brinen LS, Dai X, Deacon AM, Elsliger MA, Eshaghi S, Floyd R, Godzik A, et al. Crystal structure of O-acetylserine sulfhydrylase (TM0665) from *Thermotoga maritima* at 1.8 Å resolution. *Proteins* 2004;56(2):387-91.
164. Li B, Liu Y, Uno T, Gray N. Creating chemical diversity to target protein kinases. *Comb Chem High Throughput Screen* 2004;7(5):453-72.
163. Moqrich A, Earley TJ, Watson J, Andahazy M, Backus C, Martin-Zanca D, Wright DE, Reichardt LF, Patapoutian A. Expressing TrkC from the TrkA locus causes a subset of dorsal root ganglia neurons to switch fate. *Nat Neurosci* 2004;7(8):812-8.
162. Plesniak LA, Parducho JI, Ziebart A, Geierstanger BH, Whiles JA, Melacini G, Jennings PA. Orientation and helical conformation of a tissue-specific hunter-killer peptide in micelles. *Protein Sci* 2004;13(8):1988-96.
161. Wang S, Sim TB, Kim YS, Chang YT. Tools for target identification and validation. *Curr Opin Chem Biol* 2004;8(4):371-7.
160. Su AI, Wiltshire T, Batalov S, Lapp H, Ching KA, Block D, Zhang J, Soden R, Hayakawa M, Kreiman G, et al. A gene atlas of the mouse and human protein-encoding transcriptomes. *Proc Natl Acad Sci U S A* 2004;101(16):6062-7.
159. Barrera L, Benner C, Tao YC, Winzeler E, Zhou Y. Leveraging two-way probe-level block design for identifying differential gene expression with high-density oligonucleotide arrays. *BMC Bioinformatics* 2004;5:42.
158. Chao SH, Harada JN, Hyndman F, Gao X, Nelson CG, Chanda SK, Caldwell JS. PDX1, a cellular homeoprotein, binds to and regulates the activity of human cytomegalovirus immediate early promoter. *J Biol Chem* 2004;279(16):16111-20.
157. Wen BG, Pletcher MT, Warashina M, Choe SH, Ziaee N, Wiltshire T, Sauer K, Cooke MP. Inositol (1,4,5) trisphosphate 3 kinase B controls positive selection of T cells and modulates Erk activity. *Proc Natl Acad Sci U S A* 2004;101(15):5604-9.
156. Walker JR, Su AI, Self DW, Hogenesch JB, Lapp H, Maier R, Hoyer D, Bilbe G. Applications of a rat multiple tissue gene expression data set. *Genome Res* 2004;14(4):742-9.
155. Pletcher MT, McClurg P, Batalov S, Su AI, Barnes SW, Lagler E, Korstanje R, Wang X, Nusskern D, Bogue MA, et al. Use of a dense single nucleotide polymorphism map for in silico mapping in the mouse. *PLoS Biol* 2004;2(12):e393.
154. Rudic RD, McNamara P, Curtis AM, Boston RC, Panda S, Hogenesch JB, Fitzgerald GA. BMAL1 and CLOCK, two essential components of the circadian clock, are involved in glucose homeostasis. *PLoS Biol* 2004;2(11):e377.

153. Ren YG, Wagner KW, Knee DA, Aza-Blanc P, Nasoff M, Deveraux QL. Differential regulation of the TRAIL death receptors DR4 and DR5 by the signal recognition particle. *Mol Biol Cell* 2004;15(11):5064-74.
152. McMullan D, Schwarzenbacher R, Jaroszewski L, von Delft F, Klock HE, Vincent J, Quijano K, Abdubek P, Ambing E, Biorac T, et al. Crystal structure of a novel *Thermotoga maritima* enzyme (TM1112) from the cupin family at 1.83 Å resolution. *Proteins* 2004;56(3):615-8.
151. Sam-Yellowe TY, Florens L, Johnson JR, Wang T, Drazba JA, Le Roch KG, Zhou Y, Batalov S, Carucci DJ, Winzeler EA, et al. A *Plasmodium* gene family encoding Maurer's cleft membrane proteins: structural properties and expression profiling. *Genome Res* 2004;14(6):1052-9.
150. Sanna MG, Liao J, Jo E, Alfonso C, Ahn MY, Peterson MS, Webb B, Lefebvre S, Chun J, Gray N, et al. Sphingosine 1-phosphate (S1P) receptor subtypes S1P1 and S1P3, respectively, regulate lymphocyte recirculation and heart rate. *J Biol Chem* 2004;279(14):13839-48.
149. Peti W, Etezady-Esfarjani T, Herrmann T, Klock HE, Lesley SA, Wuthrich K. NMR for structural proteomics of *Thermotoga maritima*: screening and structure determination. *J Struct Funct Genomics* 2004;5(3):205-15.
148. DiDonato M, Deacon AM, Klock HE, McMullan D, Lesley SA. A scaleable and integrated crystallization pipeline applied to mining the *Thermotoga maritima* proteome. *J Struct Funct Genomics* 2004;5(1-2):133-46.
147. Debaene F, Mejias L, Harris JL, Winssinger N. Synthesis of a PNA-encoded cysteine protease inhibitor library. *Tetrahedron* 2004;60(39):8677-8690.
146. Wagner KW, King F, Nomoto K, Knee DA, Hampton G, Nasoff M, Deveraux QL. Activation and suppression of the TRAIL death-receptor pathway in chemotherapy sensitive and resistant follicular lymphoma cells. *Cancer Biol Ther* 2003;2(5):534-40.
145. Le Roch KG, Zhou Y, Blair PL, Grainger M, Moch JK, Haynes JD, De La Vega P, Holder AA, Batalov S, Carucci DJ, et al. Discovery of gene function by expression profiling of the malaria parasite life cycle. *Science* 2003;301(5639):1503-8.
144. Moskaluk CA, Zhang H, Powell SM, Cerilli LA, Hampton GM, Frierson HF, Jr. Cdx2 protein expression in normal and malignant human tissues: an immunohistochemical survey using tissue microarrays. *Mod Pathol* 2003;16(9):913-9.
143. Aza-Blanc P, Cooper CL, Wagner K, Batalov S, Deveraux QL, Cooke MP. Identification of modulators of TRAIL-induced apoptosis via RNAi-based phenotypic screening. *Mol Cell* 2003;12(3):627-37.
142. Caldwell JS. Ontology recapitulates physiology. *Chem Biol* 2003;10(9):784-6.

141. Young JK, Orth AP, Goodman WG. Allelic variation in the hemolymph juvenile hormone binding protein gene of *Manduca sexta*. *Mol Cell Endocrinol* 2003;208(1-2):41-50.
140. Chanda SK, White S, Orth AP, Reisdorph R, Miraglia L, Thomas RS, DeJesus P, Mason DE, Huang Q, Vega R, et al. Genome-scale functional profiling of the mammalian AP-1 signaling pathway. *Proc Natl Acad Sci U S A* 2003;100(21):12153-8.
139. Iourgenko V, Zhang W, Mickanin C, Daly I, Jiang C, Hexham JM, Orth AP, Miraglia L, Meltzer J, Garza D, et al. Identification of a family of cAMP response element-binding protein coactivators by genome-scale functional analysis in mammalian cells. *Proc Natl Acad Sci U S A* 2003;100(21):12147-52.
138. Schwarzenbacher R, Canaves JM, Brinen LS, Dai X, Deacon AM, Elsliger MA, Eshaghi S, Floyd R, Godzik A, Grittini C, et al. Crystal structure of uronate isomerase (TM0064) from *Thermotoga maritima* at 2.85 Å resolution. *Proteins* 2003;53(1):142-5.
137. Xu J, Moatamed F, Caldwell JS, Walker JR, Kraiem Z, Taki K, Brent GA, Hershman JM. Enhanced expression of nicotinamide N-methyltransferase in human papillary thyroid carcinoma cells. *J Clin Endocrinol Metab* 2003;88(10):4990-6.
136. Epple R, Kudirka R, Greenberg WA. Solid-phase synthesis of nucleoside analogues. *J Comb Chem* 2003;5(3):292-310.
135. Ericson C, Phung QT, Horn DM, Peters EC, Fitchett JR, Ficarro SB, Salomon AR, Brill LM, Brock A. An automated noncontact deposition interface for liquid chromatography matrix-assisted laser desorption/ionization mass spectrometry. *Anal Chem* 2003;75(10):2309-15.
134. Wang CC, Bozdech Z, Liu CL, Shipway A, Backes BJ, Harris JL, Bogoy M. Biochemical analysis of the 20 S proteasome of *Trypanosoma brucei*. *J Biol Chem* 2003;278(18):15800-8.
133. Jiang C, Chen G, Zeng X, Ouyang K, Hu Y. Generation of a bioactive neuropeptide in a cell-free system. *Anal Biochem* 2003;316(1):34-40.
132. Zhou Y, Abagyan R. Algorithms for high-density oligonucleotide array. *Curr Opin Drug Discov Devel* 2003;6(3):339-45.
131. Liao J, Schultz PG. Three sweet receptor genes are clustered in human chromosome 1. *Mamm Genome* 2003;14(5):291-301.
130. Story GM, Peier AM, Reeve AJ, Eid SR, Mosbacher J, Hricik TR, Earley TJ, Hergarden AC, Andersson DA, Hwang SW, et al. ANKTM1, a TRP-like channel expressed in nociceptive neurons, is activated by cold temperatures. *Cell* 2003;112(6):819-29.

129. Wiltshire T, Pletcher MT, Batalov S, Barnes SW, Tarantino LM, Cooke MP, Wu H, Smylie K, Santrosyan A, Copeland NG, et al. Genome-wide singlenucleotide polymorphism analysis defines haplotype patterns in mouse. *Proc Natl Acad Sci U S A* 2003;100(6):3380-5.
128. Welsh JB, Sapinoso LM, Kern SG, Brown DA, Liu T, Bauskin AR, Ward RL, Hawkins NJ, Quinn DI, Russell PJ, et al. Large-scale delineation of secreted protein biomarkers overexpressed in cancer tissue and serum. *Proc Natl Acad Sci U S A* 2003;100(6):3410-5.
127. Washburn MP, Koller A, Oshiro G, Ulaszek RR, Plouffe D, Deciu C, Winzeler E, Yates JR, 3rd. Protein pathway and complex clustering of correlated mRNA and protein expression analyses in *Saccharomyces cerevisiae*. *Proc Natl Acad Sci U S A* 2003;100(6):3107-12.
126. Alper PB, Nguyen KT. Practical synthesis and elaboration of methyl 7-chloroindole-4-carboxylate. *J Org Chem* 2003;68(5):2051-3.
125. Panda S, Sato TK, Hampton GM, Hogenesch JB. An array of insights: application of DNA chip technology in the study of cell biology. *Trends Cell Biol* 2003;13(3):151-6.
124. Borevitz JO, Liang D, Plouffe D, Chang HS, Zhu T, Weigel D, Berry CC, Winzeler E, Chory J. Large-scale identification of single-feature polymorphisms in complex genomes. *Genome Res* 2003;13(3):513-23.
123. Scherer A, Krause A, Walker JR, Sutton SE, Seron D, Raulf F, Cooke MP. Optimized protocol for linear RNA amplification and application to gene expression profiling of human renal biopsies. *Biotechniques* 2003;34(3):546-50, 552-4, 556.
122. Ding S, Wu TY, Brinker A, Peters EC, Hur W, Gray NS, Schultz PG. Synthetic small molecules that control stem cell fate. *Proc Natl Acad Sci U S A* 2003;100(13):7632-7.
121. Viswanath V, Story GM, Peier AM, Petrus MJ, Lee VM, Hwang SW, Patapoutian A, Jegla T. Opposite thermosensor in fruitfly and mouse. *Nature* 2003;423(6942):822-3.
120. Tully DC, Roberts MJ, Geierstanger BH, Grubbs RB. Synthesis of reactive poly(vinyl oxazolones) via nitroxide-mediated "living" free radical polymerization. *Macromolecules* 2003;36(12):4302-4308.
119. Zhang Z, Smith BA, Wang L, Brock A, Cho C, Schultz PG. A new strategy for the site-specific modification of proteins in vivo. *Biochemistry (Mosc)* 2003;42(22):6735-46.
118. Gustincich S, Batalov S, Beisel KW, Bono H, Carninci P, Fletcher CF, Grimmond S, Hirokawa N, Jarvis ED, Jegla T, et al. Analysis of the mouse transcriptome for genes involved in the function of the nervous system. *Genome Res* 2003;13(6B):1395-401.

117. Batalov S, Fletcher CF. Exon structure analysis, ortholog identification, and SNP candidate screening by mapping mouse RIKEN sequences to multiple genome assemblies. *Genome Res* 2003;13(6B):1552-1553.
116. Mathews, II, Deacon AM, Canaves JM, McMullan D, Lesley SA, Agarwalla S, Kuhn P. Functional analysis of substrate and cofactor complex structures of a thymidylate synthase-complementing protein. *Structure* 2003;11(6):677-90.
115. Batalov S, Su AI, Ching KA, Fletcher CF. Functional annotation of RIKEN mouse cDNA clones using GNF expression atlas. *Genome Res* 2003;13(6B):1556-1557.
114. Kanapin A, Batalov S, Davis MJ, Gough J, Grimmond S, Kawaji H, Magrane M, Matsuda H, Schonbach C, Teasdale RD, et al. Mouse proteome analysis. *Genome Res* 2003;13(6B):1335-44.
113. Page R, Grzechnik SK, Canaves JM, Spraggon G, Kreuzsch A, Kuhn P, Stevens RC, Lesley SA. Shotgun crystallization strategy for structural genomics: an optimized two-tiered crystallization screen against the *Thermotoga maritima* proteome. *Acta Crystallogr* 2003;59(Pt 6):1028-37.
112. Panda S, Provencio I, Tu DC, Pires SS, Rollag MD, Castrucci AM, Pletcher MT, Sato TK, Wiltshire T, Andahazy M, et al. Melanopsin is required for non-image-forming photic responses in blind mice. *Science* 2003;301(5632):525-7.
111. Donaldson KM, Li W, Ching KA, Batalov S, Tsai CC, Joazeiro CA. Ubiquitin-mediated sequestration of normal cellular proteins into polyglutamine aggregates. *Proc Natl Acad Sci U S A* 2003;100(15):8892-7.
110. Brock A, Horn DM, Peters EC, Shaw CM, Ericson C, Phung QT, Salomon AR. An automated matrix-assisted laser desorption/ionization quadrupole Fourier transform ion cyclotron resonance mass spectrometer for "bottomup" proteomics. *Anal Chem* 2003;75(14):3419-28.
109. Kreuzsch A, Spraggon G, Lee CC, Klock H, McMullan D, Ng K, Shin T, Vincent J, Warner I, Ericson C, et al. Structure analysis of peptide deformylases from *Streptococcus pneumoniae*, *Staphylococcus aureus*, *Thermotoga maritima* and *Pseudomonas aeruginosa*: snapshots of the oxygen sensitivity of peptide deformylase. *J Mol Biol* 2003;330(2):309-21.
108. Reyes TM, Walker JR, DeCino C, Hogenesch JB, Sawchenko PE. Categorically distinct acute stressors elicit dissimilar transcriptional profiles in the paraventricular nucleus of the hypothalamus. *J Neurosci* 2003;23(13):5607-16.
107. Mehl RA, Anderson JC, Santoro SW, Wang L, Martin AB, King DS, Horn DM, Schultz PG. Generation of a bacterium with a 21 amino acid genetic code. *J Am Chem Soc* 2003;125(4):935-9.

106. Salomon AR, Ficarro SB, Brill LM, Brinker A, Phung QT, Ericson C, Sauer K, Brock A, Horn DM, Schultz PG, et al. Profiling of tyrosine phosphorylation pathways in human cells using mass spectrometry. *Proc Natl Acad Sci U S A* 2003;100(2):443-8.
105. Wang L, Zhang Z, Brock A, Schultz PG. Addition of the keto functional group to the genetic code of *Escherichia coli*. *Proc Natl Acad Sci U S A* 2003;100(1):56-61.
104. Ruetz S, Fabbro D, Zimmermann J, Meyer T, Gray N. Chemical and biological profile of dual Cdk1 and Cdk2 inhibitors. *Curr Med Chem* 2003;3(1):1-14.
103. Hampton GM, Frierson HF. Classifying human cancer by analysis of gene expression. *Trends Mol Med* 2003;9(1):5-10.
102. Lee CC, Kreuzsch A, McMullan D, Ng K, Spraggon G. Crystal structure of the human neuropilin-1 b1 domain. *Structure* 2003;11(1):99-108.
101. Winzeler EA, Castillo-Davis CI, Oshiro G, Liang D, Richards DR, Zhou Y, Hartl DL. Genetic diversity in yeast assessed with whole-genome oligonucleotide arrays. *Genetics* 2003;163(1):79-89.
100. Wieland SF, Vega RG, Muller R, Evans CF, Hilbush B, Guidotti LG, Sutcliffe JG, Schultz PG, Chisari FV. Searching for interferon-induced genes that inhibit hepatitis B virus replication in transgenic mouse hepatocytes. *J Virol* 2003;77(2):1227-36.
99. Orth AP, Doll SC, Goodman WG. Sequence, structure and expression of the hemolymph juvenile hormone binding protein gene in the tobacco hornworm, *Manduca sexta*. *Insect Biochem Mol Biol* 2003;33(1):93-102.
98. Liu H, Wang L, Brock A, Wong CH, Schultz PG. A method for the generation of glycoprotein mimetics. *J Am Chem Soc* 2003;125(7):1702-3.
97. Chanda SK, Caldwell JS. Fulfilling the promise: drug discovery in the postgenomic era. *Drug Discov Today* 2003;8(4):168-74.
96. Donaldson KM, Yin H, Gekakis N, Supek F, Joazeiro CA. Ubiquitin signals protein trafficking via interaction with a novel ubiquitin binding domain in the membrane fusion regulator, Vps9p. *Curr Biol* 2003;13(3):258-62.
95. Brinen LS, Canaves JM, Dai X, Deacon AM, Elsliger MA, Eshaghi S, Floyd R, Godzik A, Grittini C, Grzechnik SK, et al. Crystal structure of a zinc-containing glycerol dehydrogenase (TM0423) from *Thermotoga maritima* at 1.5 Å resolution. *Proteins* 2003;50(2):371-4.
94. Chao SH, Walker JR, Chanda SK, Gray NS, Caldwell JS. Identification of homeodomain proteins, PBX1 and PREP1, involved in the transcription of murine leukemia virus. *Mol Cell Biol* 2003;23(3):831-41.

93. Orth AP, Tauchman SJ, Doll SC, Goodman WG. Embryonic expression of juvenile hormone binding protein and its relationship to the toxic effects of juvenile hormone in *Manduca sexta*. *Insect Biochem Mol Biol* 2003;33(12):1275-84.
92. Wu TY, Wagner KW, Bursulaya B, Schultz PG, Deveraux QL. Development and characterization of nonpeptidic small molecule inhibitors of the XIAP/caspase-3 interaction. *Chem Biol* 2003;10(8):759-67.
91. Deveraux QL, Aza-Blanc P, Wagner KW, Bauerschlag D, Cooke MP, Hampton GM. Exposing oncogenic dependencies for cancer drug target discovery and validation using RNAi. *Semin Cancer Biol* 2003;13(4):293- 300.
90. Laffitte BA, Chao LC, Li J, Walczak R, Hummasti S, Joseph SB, Castrillo A, Wilpitz DC, Mangelsdorf DJ, Collins JL, et al. Activation of liver X receptor improves glucose tolerance through coordinate regulation of glucose metabolism in liver and adipose tissue. *Proc Natl Acad Sci U S A* 2003;100(9):5419-24.
89. Scherer A, Krause A, Walker JR, Korn A, Niese D, Raulf F. Early prognosis of the development of renal chronic allograft rejection by gene expression profiling of human protocol biopsies. *Transplantation* 2003;75(8):1323-30.
88. Grootclaes M, Deveraux Q, Hildebrand J, Zhang Q, Goodman RH, Frisch SM. C-terminal-binding protein corepresses epithelial and proapoptotic gene expression programs. *Proc Natl Acad Sci U S A* 2003;100(8):4568-73.
87. Sato TK, Panda S, Kay SA, Hogenesch JB. DNA arrays: applications and implications for circadian biology. *J Biol Rhythms* 2003;18(2):96-105.
86. Burtnick MN, Brett PJ, Woods DE. Identification of genes encoding secreted proteins using mini-OphoA mutagenesis. *Methods Mol Biol* 2003;205:329- 38.
85. Peters EC, Ericson C. Monolithic stationary phases for the separation of small molecules. In: Svec F, Tennikova TB, Deyl Z, editors. *Monolithic materials: preparation, properties, and applications*. Amsterdam: Elsevier; 2003. p 373-387.
84. Gray NS. Optimization of experimental antimetabolic agents: classical and combinatorial methods. *Prog Cell Cycle Res* 2003;5:135-43.
83. Meyers A, Trauger S, Webb W, Reisdorph N, Wranik C, Peters E, Siuzdak G. Protein identification and profiling with mass spectrometry. *Spectroscopy (Amsterdam)* 2003;17(1):1-15.
82. Warmuth M, Damoiseaux R, Liu Y, Fabbro D, Gray N. SRC family kinases: potential targets for the treatment of human cancer and leukemia. *Curr Pharm Des* 2003;9(25):2043-59.

81. Knockaert M, Lenormand P, Gray N, Schultz P, Pouyssegur J, Meijer L. p42/p44 MAPKs are intracellular targets of the CDK inhibitor purvalanol. *Oncogene* 2002;21(42):6413-24.
80. Supek F, Madden DT, Hamamoto S, Orci L, Schekman R. Sec16p potentiates the action of COPII proteins to bud transport vesicles. *J Cell Biol* 2002;158(6):1029-38.
79. Lesley SA, Kuhn P, Godzik A, Deacon AM, Mathews I, Kreuzsch A, Spraggon G, Klock HE, McMullan D, Shin T, et al. Structural genomics of the *Thermotoga maritima* proteome implemented in a high-throughput structure determination pipeline. *Proc Natl Acad Sci U S A* 2002;99(18):11664-9.
78. Chang YT, Choi G, Bae YS, Burdett M, Moon HS, Lee JW, Gray NS, Schultz PG, Meijer L, Chung SK, et al. Purine-based inhibitors of inositol-1,4,5- trisphosphate-3-kinase. *Chembiochem* 2002;3(9):897-901.
77. Que QQ, Winzeler EA. Large-scale mutagenesis and functional genomics in yeast. *Funct Integr Genomics* 2002;2(4-5):193-8.
76. Le Roch KG, Zhou Y, Batalov S, Winzeler EA. Monitoring the chromosome 2 intraerythrocytic transcriptome of *Plasmodium falciparum* using oligonucleotide arrays. *Am J Trop Med Hyg* 2002;67(3):233-43.
75. Volkman SK, Hartl DL, Wirth DF, Nielsen KM, Choi M, Batalov S, Zhou Y, Plouffe D, Le Roch KG, Abagyan R, et al. Excess polymorphisms in genes for membrane proteins in *Plasmodium falciparum*. *Science* 2002;298(5591):216-8.
74. Kuhn P, Lesley SA, Mathews, II, Canaves JM, Brinen LS, Dai X, Deacon AM, Elsliger MA, Eshaghi S, Floyd R, et al. Crystal structure of thy1, a thymidylate synthase complementing protein from *Thermotoga maritima* at 2.25 Å resolution. *Proteins* 2002;49(1):142-5.
73. Stajich JE, Block D, Boulez K, Brenner SE, Chervitz SA, Dagdigian C, Fuellen G, Gilbert JG, Korf I, Lapp H, et al. The Bioperl toolkit: Perl modules for the life sciences. *Genome Res* 2002;12(10):1611-8.
72. Su AI, Pezacki JP, Wodicka L, Brideau AD, Supekova L, Thimme R, Wieland S, Bukh J, Purcell RH, Schultz PG, et al. Genomic analysis of the host response to hepatitis C virus infection. *Proc Natl Acad Sci U S A* 2002;99(24):15669-74.
71. Spraggon G, Lesley SA, Kreuzsch A, Priestle JP. Computational analysis of crystallization trials. *Acta Crystallogr* 2002;58(Pt 11):1915-23.
70. Panda S, Hogenesch JB, Kay SA. Circadian rhythms from flies to human. *Nature* 2002;417(6886):329-35.

69. Panda S, Antoch MP, Miller BH, Su AI, Schook AB, Straume M, Schultz PG, Kay SA, Takahashi JS, Hogenesch JB. Coordinated transcription of key pathways in the mouse by the circadian clock. *Cell* 2002;109(3):307-20.
68. Ding S, Gray NS, Ding Q, Wu X, Schultz PG. Resin-capture and release strategy toward combinatorial libraries of 2,6,9-substituted purines. *J Comb Chem* 2002;4(2):183-6.
67. Peier AM, Moqrich A, Hergarden AC, Reeve AJ, Andersson DA, Story GM, Earley TJ, Dragoni I, McIntyre P, Bevan S, et al. A TRP channel that senses cold stimuli and menthol. *Cell* 2002;108(5):705-15.
66. Wang L, Brock A, Schultz PG. Adding L-3-(2-Naphthyl)alanine to the genetic code of *E. coli*. *J Am Chem Soc* 2002;124(9):1836-7.
65. Sanna MG, da Silva Correia J, Ducrey O, Lee J, Nomoto K, Schrantz N, Deveraux QL, Ulevitch RJ. IAP suppression of apoptosis involves distinct mechanisms: the TAK1/JNK1 signaling cascade and caspase inhibition. *Mol Cell Biol* 2002;22(6):1754-66.
64. Peier AM, Reeve AJ, Andersson DA, Moqrich A, Earley TJ, Hergarden AC, Story GM, Colley S, Hogenesch JB, McIntyre P, et al. A heat-sensitive TRP channel expressed in keratinocytes. *Science* 2002;296(5575):2046-9.
63. Kim C, Xuong NH, Edwards S, Madhusudan, Yee MC, Spraggon G, Mills SE. The crystal structure of anthranilate phosphoribosyltransferase from the enterobacterium *Pectobacterium carotovorum*. *FEBS Lett* 2002;523(1- 3):239-46.
62. Peters EC, Brock A, Horn DM, Phung QT, Ericson C, Salomon AR, Ficarro SB, Brill LM. An automated LC-MALDI FT-ICR MS platform for highthroughput proteomics. *Lc Gc Europe* 2002;15(7):423-428.
61. Supekova L, Pezacki JP, Su AI, Loweth CJ, Riedl R, Geierstanger B, Schultz PG, Wemmer DE. Genomic effects of polyamide/DNA interactions on mRNA expression. *Chem Biol* 2002;9(7):821-7.
60. Shah K, Shokat KM. A chemical genetic screen for direct v-Src substrates reveals ordered assembly of a retrograde signaling pathway. *Chem Biol* 2002;9(1):35-47.
59. Ding S, Gray NS, Wu X, Ding Q, Schultz PG. A combinatorial scaffold approach toward kinase-directed heterocycle libraries. *J Am Chem Soc* 2002;124(8):1594-6.
58. Chang JB, Zhao K, Pan SF. Synthesis of 2-arylbenzoxazoles via DDQ promoted oxidative cyclization of phenolic Schiff bases - a solution-phase strategy for library synthesis. *Tetrahedron Lett* 2002;43(6):951-954.
57. Lesley SA, Graziano J, Cho CY, Knuth MW, Klock HE. Gene expression response to misfolded protein as a screen for soluble recombinant protein. *Protein Eng* 2002;15(2):153-60.

56. Panda S, Sato TK, Castrucci AM, Rollag MD, DeGrip WJ, Hogenesch JB, Provencio I, Kay SA. Melanopsin (Opn4) requirement for normal light-induced circadian phase shifting. *Science* 2002;298(5601):2213-6.
55. Wu X, Ding S, Ding Q, Gray NS, Schultz PG. A small molecule with osteogenesis-inducing activity in multipotent mesenchymal progenitor cells. *J Am Chem Soc* 2002;124(49):14520-1.
54. Okazaki Y, Furuno M, Kasukawa T, Adachi J, Bono H, Kondo S, Nikaido I, Osato N, Saito R, Suzuki H, et al. Analysis of the mouse transcriptome based on functional annotation of 60,770 full-length cDNAs. *Nature* 2002;420(6915):563-73.
53. Sanna MG, da Silva Correia J, Luo Y, Chuang B, Paulson LM, Nguyen B, Deveraux QL, Ulevitch RJ. ILPIP, a novel anti-apoptotic protein that enhances XIAP-mediated activation of JNK1 and protection against apoptosis. *J Biol Chem* 2002;277(34):30454-62.
52. Winssinger N, Ficarro S, Schultz PG, Harris JL. Profiling protein function with small molecule microarrays. *Proc Natl Acad Sci U S A* 2002;99(17):11139-44.
51. Zhang Z, Wang L, Brock A, Schultz PG. The selective incorporation of alkenes into proteins in *Escherichia coli*. *Angew Chem, Int Ed Engl* 2002;41(15):2840-2.
50. Li S, Liao J, Cutler G, Hoey T, Hogenesch JB, Cooke MP, Schultz PG, Ling XB. Comparative analysis of human genome assemblies reveals genome-level differences. *Genomics* 2002;80(2):138-9.
49. Oshiro G, Wodicka LM, Washburn MP, Yates JR, 3rd, Lockhart DJ, Winzeler EA. Parallel identification of new genes in *Saccharomyces cerevisiae*. *Genome Res* 2002;12(8):1210-20.
48. Schang LM, Bantly A, Knockaert M, Shaheen F, Meijer L, Malim MH, Gray NS, Schaffer PA. Pharmacological cyclin-dependent kinase inhibitors inhibit replication of wild-type and drug-resistant strains of herpes simplex virus and human immunodeficiency virus type 1 by targeting cellular, not viral, proteins. *J Virol* 2002;76(15):7874-82.
47. Su AI, Cooke MP, Ching KA, Hakak Y, Walker JR, Wiltshire T, Orth AP, Vega RG, Sapinoso LM, Moqrich A, et al. Large-scale analysis of the human and mouse transcriptomes. *Proc Natl Acad Sci U S A* 2002;99(7):4465-70.
46. Santarsiero BD, Yegian DT, Lee CC, Spraggon G, Gu J, Scheibe D, Uber DC, Cornell EW, Nordmeyer RA, Kolbe WF, et al. An approach to rapid protein crystallization using nanodroplets. *J Appl Crystallogr* 2002;35:278-281.
45. Perez OD, Chang YT, Rosania G, Sutherlin D, Schultz PG. Inhibition and reversal of myogenic differentiation by purine-based microtubule assembly inhibitors. *Chem Biol* 2002;9(4):475-83.

44. Scully AL, Zelhof AC, Kay SA. A P element with a novel fusion of reporters identifies regular, a C2H2 zinc-finger gene downstream of the circadian clock. *Mol Cell Neurosci* 2002;19(4):501-14.
43. Brock A, Horn DM, Shaw CM, Peters EC, Ericson C, Phung Q, Ficarro SB, Salomon AR. Automated liquid chromatography MALDI FT-ICR MS platform for proteomics: Automated high performance mass spectrometry and data analysis. *Am Pharm Rev* 2002;5(4):94-99.
42. Peters EC, Brock A, Phung Q, Fitchett J, Horn DM, Ericson C, Ficarro SB, Salomon AR. Automated liquid chromatography MALDI FT-ICR MS platform for proteomics: Rationale for an Off-line approach and optimized implementation. *Am Pharm Rev* 2002;5(3):72-81.
41. Zhou Y, Abagyan R. Match-only integral distribution (MOID) algorithm for high-density oligonucleotide array analysis. *BMC Bioinformatics* 2002;3:3.
40. Andrews CA, Lesley SA. Site-directed mutagenesis using altered betalactamase specificity. *Methods Mol Biol* 2002;182:7-17.
39. Rankin CA, Joazeiro CA, Floor E, Hunter T. E3 ubiquitin-protein ligase activity of Parkin is dependent on cooperative interaction of RING finger (TRIAD) elements. *J Biomed Sci* 2001;8(5):421-9.
38. Su AI, Welsh JB, Sapinoso LM, Kern SG, Dimitrov P, Lapp H, Schultz PG, Powell SM, Moskaluk CA, Frierson HF, Jr., et al. Molecular classification of human carcinomas by use of gene expression signatures. *Cancer Res* 2001;61(20):7388-93.
37. Raghuraman MK, Winzeler EA, Collingwood D, Hunt S, Wodicka L, Conway A, Lockhart DJ, Davis RW, Brewer BJ, Fangman WL. Replication dynamics of the yeast genome. *Science* 2001;294(5540):115-21.
36. Gray NS. Combinatorial libraries and biological discovery. *Curr Opin Neurobiol* 2001;11(5):608-14.
35. Ding S, Gray NS, Ding Q, Schultz PG. A concise and traceless linker strategy toward combinatorial libraries of 2,6,9-substituted purines. *J Org Chem* 2001;66(24):8273-6.
34. Wu TY, Ding S, Gray NS, Schultz PG. Solid-phase synthesis of 2,3,5- trisubstituted indoles. *Org Lett* 2001;3(24):3827-30.
33. Lin Q, Jiang F, Schultz PG, Gray NS. Design of allele-specific protein methyltransferase inhibitors. *J Am Chem Soc* 2001;123(47):11608-13.
32. Spraggon G, Kim C, Nguyen-Huu X, Yee MC, Yanofsky C, Mills SE. The structures of anthranilate synthase of *Serratia marcescens* crystallized in the presence of (i) its

substrates, chorismate and glutamine, and a product, glutamate, and (ii) its end-product inhibitor, L-tryptophan. *Proc Natl Acad Sci U S A* 2001;98(11):6021-6.

31. Patapoutian A, Reichardt LF. Trk receptors: mediators of neurotrophin action. *Curr Opin Neurobiol* 2001;11(3):272-80.

30. Mody M, Cao Y, Cui Z, Tay KY, Shyong A, Shimizu E, Pham K, Schultz P, Welsh D, Tsien JZ. Genome-wide gene expression profiles of the developing mouse hippocampus. *Proc Natl Acad Sci U S A* 2001;98(15):8862-7.

29. Zarrinkar PP, Mainquist JK, Zamora M, Stern D, Welsh JB, Sapinoso LM, Hampton GM, Lockhart DJ. Arrays of arrays for high-throughput gene expression profiling. *Genome Res* 2001;11(7):1256-61.

28. Landowski CP, Godfrey HP, Bentley-Hibbert SI, Liu X, Huang Z, Sepulveda R, Huygen K, Gennaro ML, Moy FH, Lesley SA, et al. Combinatorial use of antibodies to secreted mycobacterial proteins in a host immune system-independent test for tuberculosis. *J Clin Microbiol* 2001;39(7):2418-24.

27. Lesley SA. High-throughput proteomics: protein expression and purification in the postgenomic world. *Protein Expr Purif* 2001;22(2):159-64.

26. Welsh JB, Zarrinkar PP, Sapinoso LM, Kern SG, Behling CA, Monk BJ, Lockhart DJ, Burger RA, Hampton GM. Analysis of gene expression profiles in normal and neoplastic ovarian tissue samples identifies candidate molecular markers of epithelial ovarian cancer. *Proc Natl Acad Sci U S A* 2001;98(3):1176-81.

25. Cho RJ, Huang M, Campbell MJ, Dong H, Steinmetz L, Sapinoso L, Hampton G, Elledge SJ, Davis RW, Lockhart DJ. Transcriptional regulation and function during the human cell cycle. *Nat Genet* 2001;27(1):48-54.

24. Jiang CH, Tsien JZ, Schultz PG, Hu Y. The effects of aging on gene expression in the hypothalamus and cortex of mice. *Proc Natl Acad Sci U S A* 2001;98(4):1930-4.

23. Kawai J, Shinagawa A, Shibata K, Yoshino M, Itoh M, Ishii Y, Arakawa T, Hara A, Fukunishi Y, Konno H, et al. Functional annotation of a full-length mouse cDNA collection. *Nature* 2001;409(6821):685-90.

22. Chang YT, Wignall SM, Rosania GR, Gray NS, Hanson SR, Su AI, Merlie J, Jr., Moon HS, Sangankar SB, Perez O, et al. Synthesis and biological evaluation of myoseverin derivatives: microtubule assembly inhibitors. *J Med Chem* 2001;44(26):4497-500.

21. Ding S, Gray NS, Ding Q, Schultz PG. Expanding the diversity of purine libraries. *Tetrahedron Lett* 2001;42(50):8751-8755.

20. Harris JL, Alper PB, Li J, Rechsteiner M, Backes BJ. Substrate specificity of the human proteasome. *Chem Biol* 2001;8(12):1131-41.

19. Hogenesch JB, Ching KA, Batalov S, Su AI, Walker JR, Zhou Y, Kay SA, Schultz PG, Cooke MP. A comparison of the Celera and Ensembl predicted gene sets reveals little overlap in novel genes. *Cell* 2001;106(4):413-5.
18. Verdugo DE, Cancilla MT, Ge X, Gray NS, Chang YT, Schultz PG, Negishi M, Leary JA, Bertozzi CR. Discovery of estrogen sulfotransferase inhibitors from a purine library screen. *J Med Chem* 2001;44(17):2683-6.
17. Welsh JB, Sapinoso LM, Su AI, Kern SG, Wang-Rodriguez J, Moskaluk CA, Frierson HF, Jr., Hampton GM. Analysis of gene expression identifies candidate markers and pharmacological targets in prostate cancer. *Cancer Res* 2001;61(16):5974-8.
16. Harmse L, van Zyl R, Gray N, Schultz P, Leclerc S, Meijer L, Doerig C, Havlik I. Structure-activity relationships and inhibitory effects of various purine derivatives on the in vitro growth of *Plasmodium falciparum*. *Biochem Pharmacol* 2001;62(3):341-8.
15. Wang L, Brock A, Herberich B, Schultz PG. Expanding the genetic code of *Escherichia coli*. *Science* 2001;292(5516):498-500.
14. Hakak Y, Walker JR, Li C, Wong WH, Davis KL, Buxbaum JD, Haroutunian V, Fienberg AA. Genome-wide expression analysis reveals dysregulation of myelination-related genes in chronic schizophrenia. *Proc Natl Acad Sci U S A* 2001;98(8):4746-51.
13. Winssinger N, Harris JL, Backes BJ, Schultz PG. From split-pool libraries to spatially addressable microarrays and its application to functional proteomic profiling. *Angew Chem, Int Ed Engl* 2001;40(17):3152-3155.
12. Harmer SL, Panda S, Kay SA. Molecular bases of circadian rhythms. *Annu Rev Cell Dev Biol* 2001;17:215-53.
11. Peters EC, Horn DM, Tully DC, Brock A. A novel multifunctional labeling reagent for enhanced protein characterization with mass spectrometry. *Rapid Commun Mass Spectrom* 2001;15(24):2387-92.
10. Ting AY, Witte K, Shah K, Kraybill B, Shokat KM, Schultz PG. Phage-display evolution of tyrosine kinases with altered nucleotide specificity. *Biopolymers* 2001;60(3):220-8.
9. Bishop AC, Ubersax JA, Petsch DT, Matheos DP, Gray NS, Blethrow J, Shimizu E, Tsien JZ, Schultz PG, Rose MD, et al. A chemical switch for inhibitor-sensitive alleles of any protein kinase. *Nature* 2000;407(6802):395-401.
8. Rampon C, Jiang CH, Dong H, Tang YP, Lockhart DJ, Schultz PG, Tsien JZ, Hu Y. Effects of environmental enrichment on gene expression in the brain. *Proc Natl Acad Sci U S A* 2000;97(23):12880-4.

7. Amler LC, Agus DB, LeDuc C, Sapinoso ML, Fox WD, Kern S, Lee D, Wang V, Leysens M, Higgins B, et al. Dysregulated expression of androgenresponsive and nonresponsive genes in the androgen-independent prostate cancer xenograft model CWR22-R1. *Cancer Res* 2000;60(21):6134-41.
6. Lockhart DJ, Winzeler EA. Genomics, gene expression and DNA arrays. *Nature* 2000;405(6788):827-36.
5. Knockaert M, Gray N, Damiens E, Chang YT, Grellier P, Grant K, Fergusson D, Mottram J, Soete M, Dubremetz JF, et al. Intracellular targets of cyclindependent kinase inhibitors: identification by affinity chromatography using immobilised inhibitors. *Chem Biol* 2000;7(6):411-22.
4. Oshiro G, Winzeler EA. Aneuploidy--it's more common than you think. *Nat Biotechnol* 2000;18(7):715-6.
3. Cardozo T, Batalov S, Abagyan R. Estimating local backbone structural deviation in homology models. *Comput Chem* 2000;24(1):13-31.
2. Harmer SL, Hogenesch JB, Straume M, Chang HS, Han B, Zhu T, Wang X, Kreps JA, Kay SA. Orchestrated transcription of key pathways in Arabidopsis by the circadian clock. *Science* 2000;290(5499):2110-3.
1. Nasoff M, Bergseid M, Hoeffler JP, Heyman JA. High-throughput expression of fusion proteins. *Methods Enzymol* 2000;328:515-29.